

FIRE SEASON 2026/7

Promotion



WHO WE ARE.

Motion delivers a world-class customer-first approach to everything we do. This has firmly established our business as the leader in the market, providing excellence and expertise in industrial products, solutions and services.

For more than 100 years we have been a feature in the Australian industrial landscape giving customers unmatched products and service through an integrated network of branches, workshops and service centres.

We have an ongoing commitment to invest in our people, facilities, IT and systems to ensure we can continue to offer a broad ranging and premium level of engineering design, servicing and turnkey projects to our customers across Australia.

We are committed and proud to keep our customers in motion, every day of the year.

“**WE KEEP
THE WORLD
MOVING**”



FIRE HOSE REEL

For use on fire hose reels and in fire fighting applications

Part Number 1	Part Number 2	Hose ID	Hose OD	Weight	Max W.P.	Length
		mm	mm	kg/m	psi (mpa)	mtrs
60-000-9040-018FH	AIPSR1836F	19	26	0.36	145	34
60-000-9040-025FH		25	33	0.55	145	20
60-000-9040-018FHB*		19	26	0.36	145	34
60-000-9040-025FHB*		25	33	0.55	145	20
60-000-9060-025FH		25	33	0.55	145	34

*Supplied with Brass Nozzle.

SAFETY YELLOW HOSE REEL

Premium Air/Water hose for heavy-duty and general-purpose applications

Part Number	Hose ID	Hose OD	Weight	Max W.P.	Length
	mm	mm	kg/m	psi (mpa)	mtrs
60-000-9040-018SY	19.0	29.0	0.44	145	18

PVC SUCTION HOSE

For the movement of waste materials, water, slurries, some chemicals, granules, gravel, and sand.

TEMPERATURE: -5°C to +60°C



Part Number 1	Part Number 2	Hose ID
		mm
02-000-025-CUT	PFGS25	25.4
02-000-038-CUT	PFGS38	38.1
02-000-051-CUT	PFGS51	50.8

ECLIPSE GENERAL PURPOSE HOSE

An economical general-purpose air and water hose ideally suited for use across a wide range of industrial and construction applications.

TEMPERATURE: -40°C to +100°C



Part Number	Hose ID
	mm
08-020-012-100	12.7
08-020-019-100	19.1
08-020-025-100	25.4

LIGHT DUTY PVC BLUE LAYFLAT HOSE

Suitable for temporary water supply or drainage of locations with relatively small differences in elevation and light-duty dewatering applications.

TEMPERATURE: -20°C to +60°C



Part Number 1	Part Number 2	Hose ID mm
04-005-025-100	LFH25B100	26.0
04-005-038-100	LFH38B100	41.0
04-005-051-100	LFH50B100	53.0
04-005-9051-020CEC*	LFH50BLCE	53.0

*Fitted assembly includes 20MTR of hose C/W male and female camlocks crimped.

PVC FIRE REEL HOSE KIT

For use on fire hose reels and in fire fighting applications. Assembly supplied with Brass Nut and Nozzle.



Part Number 1	Part Number 2
00-080-9019-020BPW	
00-082-9019-036BCOBN	FHA2020*
00-080-9019-036BPW	
00-082-9025-020ACCAWD	FHA2036**
00-080-9025-020BPW	


*Assembly includes 3/4" Black PVC fire reel hose x 20mt, 3/4" brass click-on fittings and heavy-duty spray nozzle.

**Assembly includes 3/4" Black PVC fire reel hose x 36mt, 3/4" brass click-on fittings and heavy-duty spray nozzle.

PVC FIRE REEL HOSE

For use on fire hose reels and in fire fighting applications.

TEMPERATURE: -5°C to +60°C



Part Number 1	Part Number 2	Hose ID mm	Lengths metre
00-080-019-CUT	PFRH20	19.1	20, 36 & 100
00-080-025-CUT	PFRH25	25.4	20, 30 & 100

HEAVY DUTY PVC RED LAYFLAT HOSE

For use on fire hose reels and in fire fighting applications.

TEMPERATURE: -5°C to +60°C



Part Number 1	Part Number 2	Hose ID mm
04-015-025-100	LFH25R100	26
04-015-038-100	LFH38R100	40
04-015-051-100	LFH51R100	53
04-015-9051-020CEC	LFH50RLCE	53

*Fitted assembly includes 20MTR of hose C/W male and female camlocks crimped.

PVC SUCTION HOSE KITS

For use on fire hose reels and in fire fighting applications. Assembly supplied with Brass Nut and Tail.



Part Number
02-000-9038-006FKB
02-000-9038-010FKB
02-000-9051-006FKB
02-000-9051-010FKB

PERFORMER HOSE REELS

Complete with 3/4 inch Stainless Steel BSP Swivel.



Part Number 1	Part Number 2
60-000-040-018	AIPSR1840
60-000-060-018	
60-000-040-018-016	

AUSTRALIAN STANDARD FIXED FIRE HOSE REEL KIT

With years of development behind it, this Australian Standard Fixed Hose Reel is widely regarded as one of the best and most reliable in the Australian market.



Part Number 1	Part Number 2
60-050-036-012	FHR1936
60-050-030-016	FHR2530





COMPLETE FIRE KITS

The **00-089-900-001P**

Fire Fighting Hose Kit includes:

1. Suction Hose - 1 x 4m x 38mm
2. Delivery Hose - 2 x 6m x 19mm
3. Poly Nuts & Tails, Nozzles, Strainer

The **00-089-900-001B/SFK46**

Fire Fighting Hose Kit includes:

1. Suction Hose - 1 x 4m x 38mm
2. Delivery Hose - 2 x 6m x 20mm
3. Poly Strainer, Nozzle & Brass Fittings

The **00-089-900-003B**

Fire Fighting Hose Kit includes:

1. Suction Hose - 1 x 6m x 38mm
2. Delivery Hose - 2 x 10m x 19mm
3. Brass Nuts & Tails, Nozzles, Strainer

The **00-089-900-003A/HDFK610**

Fire Fighting Hose Kit includes:

1. Suction Hose - 1 x 6m x 38mm
2. Delivery Hose - 2 x 10m x 20mm
3. Poly Strainer, Nozzle & Brass Fittings

The **00-089-900-003P/PFK620**

Fire Fighting Hose Kit includes:

1. Suction Hose - 1 x 6m x 38mm
2. Delivery Hose - 1 x 20m x 19mm
3. Brass Nuts & Tails, Nozzles, Strainer

FIRE HOSE REEL BARREL NOZZLE

Includes Composite
Hose Tail



Part Number	Size inch
28-004-012	3/4
28-004-016	1

BRASS JET NOZZLE

With Hose Tail



Part Number 1	Part Number 2	Size inch
28-020-012	BHRN20	3/4
28-020-016	BHRN25	1

NYLON FOG NOZZLE

With Hose Tail



Part Number	Size inch
28-002-012	3/4
28-002-016	1

VIPER JET NOZZLES - PLASTIC

Adjustable straight or
fog spray
• 360 L p/min



Part Number	Size inch
28-003-024	1-1/2

RED POLY SPRAY NOZZLES



Part Number 1	Part Number 2	Size inch
28-001-016	SHN25	1
28-001-024	LHN38	1-1/2
28-005-012	HRN20	3/4

RING (NUT) & TAIL BRASS P5

Female BSP Nut x
Hose Tail



Part Number 1	Part Number 2	Size BSP X H/T
22-430-012-016	BNTM2520	1 x 3/4
22-430-016-016	BNTM2525	1 X 1
22-430-024-024	BNTM3838	1-1/2 X 1-1/2

POLY STRAINERS

Ideal for stopping debris and foreign matter from entering lines in domestic water applications.



Part Number 1	Part Number 2	Size
		inch
28-300-024	PST40	1-1/2
28-300-032	PST50	2

RING (NUT) & TAIL POLYPROPYLENE (PPN)

Female BSP Nut x Hose Tail



Part Number 1	Part Number 2	Size
		BSP X H/T
27-101-012-016	PNT2520	1 x 3/4
27-101-016-016	PNT2525	1 X 1
27-101-024-024	PNT4040	1-1/2 X 1-1/2

BALL VALVE SPRAY NOZZLE



Part Number 1	Part Number 2	Size
		kg
25-160-008		1/2
25-160-012	BNHT20	3/4
25-160-016	BNHT25	1

CLAMP PERFORMER W/DRIVE SOLID BAND S/STEEL



These W4 Stainless Steel Solid Band Wormdrive Clamps provide superior design and proven reliability to the user.

Also available with a removable safety collar to prevent screwdriver slip injuries, these clamps can be used for industrial, hardware, automotive, and general applications.

CONSTRUCTION: W4 S/Steel Solid Band (band width, mm)

Part Number	Clamp Range
	mm
40-030-027	16-27
40-030-032	20-32
40-030-053	35-53
40-030-057	40-57

HEAVY DUTY ADJUSTABLE SPRAY NOZZLE

Commercial-grade professional nozzle with protective rubber moulding for heavy-duty applications.



Part Number 1	Part Number 2	Size
		mm
28-080-001	RB7302C	18

NOTES

NOTES



iMOTION®

Delivering a world-class customer-first approach providing excellence and expertise in industrial products, solutions, and services.

iMOTION
FLUID POWER SOLUTIONS

Specialists in Fluid Power Solutions tailored to keep your equipment moving.

iMOTION
ENGINEERING & SERVICES

Specialist design and engineering, manufacturing, repair, and maintenance services.

Anytime.Anywhere.
Always Here.™



Find a location near you!

Scan the QR Code to find out more
or visit Motion.com.au