


JOHN DEERE® HARVESTER BOOK

Aftermarket Parts
Catalogue



WHO WE ARE.

Motion delivers a world-class customer-first approach to everything we do. This has firmly established our business as the leader in the market, providing excellence and expertise in industrial products, solutions and services.

For more than 100 years we have been a feature in the Australian industrial landscape giving customers unmatched products and service through an integrated network of branches, workshops and service centres.

We have an ongoing commitment to invest in our people, facilities, IT and systems to ensure we can continue to offer a broad ranging and premium level of engineering design, servicing and turnkey projects to our customers across Australia.

We are committed and proud to keep our customers in motion, every day of the year.

“**WE KEEP THE WORLD MOVING**”



CONTENTS

BEARINGS	4
DRIVE BELTS	7
PRODUCT FEEDING	15
THRESHING AND SEPARATION	18
CLEANING	20
STORAGE AND UNLOADING	22
RESIDUE DISPOSAL	26
POWERTRAIN	28

This catalogue contains Aftermarket Parts suitable for the applications listed within. All the items included are aftermarket products for the replacement of existing parts. Motion Asia Pacific is not an original equipment manufacturer of these products and all quoted manufacturer names and part numbers are for reference purposes only. JOHN DEERE® is a registered trademark owned by DEERE & COMPANY which does not manufacture, distribute or endorse the products listed in this catalogue.

IMAGE	PART NUMBER / ITEM	DESCRIPTION / REF	APPLICATION FITMENT
	SBX1706LLXC4NTN <i>PITMAN ARM BEARING</i>	RADIAL SEALED SPHERICAL BALL BEARING 85X130X22MM <i>AH125975</i>	9400, 9410, 9450, 9500, 9510, 9550, 9560, 9560STS, 9570STS, 9600, 9610, 9650, 9650STS, 9660STS, 670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS, CTS II, CTS, S660 S670, S680, S690, S760, S770, S780, S790
	UEL211NTN <i>CYLINDER BEARING</i>	BALL BEARING INSERT THRESHING CYLINDER 55X100X71.4MM <i>JD10343</i>	9400, 9410, 9450, 9500, 9510, 9550, 9560, 9600, 9610, 9650, CTS II, CTS
	YEL207-2DW/AG <i>AUGER BEARING</i>	BALL BEARING INSERT CLEAN GRAIN CROSS AUGER 35X72X51.1MM <i>AXE23392B</i>	9770STS, 9870STS, S670, S680, S690, S760, S770, S780, S790
	G1100KPP3TIM <i>AUGER BEARING</i>	BEARING INSERT CYLINDRICAL BALL INCL LOCK COLLAR 1.000X2.047X1.750IN <i>AH159863</i>	9650STS, 9660STS, 9750STS, 9760STS, 9860STS
	CMAH232668 <i>CHOPPER BEARING</i>	COMPLETE BEARING AND HOUSING CHOPPER 85X130X22MM <i>AH232668</i>	S660, S670, S680, S690, S760, S770, S780, S790
	GE50KRRB <i>CHOPPER BEARING</i>	BALL BEARING INSERT CHOPPER 50X90X49.2MM <i>AXE12177</i>	S660, S670, S680, S690, S760, S770, S780, S790
	6822LLUNTN <i>CHOPPER BEARING</i>	BEARING SRDGD SEALED FOR DUAL CHOPPER DRIVE 110X140X16MM <i>AXE11092</i>	S650, S660, S670, S680, S690, S760, S770, S780, S790, S7 600, S7 700, S7 800, S7 850, S7 900
	6011LLUNTN <i>CHOPPER BEARING</i>	BEARING SRDGD SEALED FOR DUAL CHOPPER DRIVE 55X90X18MM <i>AXE11090</i>	S650, S660, S670, S680, S690, S760, S770, S780, S790, S7 600, S7 700, S7 800, S7 850, S7 900
	GE30KRRB <i>ELEVATOR BEARING</i>	RADIAL INSERT BEARING WITH LOCK COLLAR ELEVATOR 30X62X48.5MM <i>JD10384</i>	9550, 9560, 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9880STS, CT5, S660, S670, S680, S690, S760, S770, S780, S790
	UL305LLSV6NTN <i>ELEVATOR BEARING</i>	ECCENTRIC BEARING WITHOUT LOCK COLLAR 25X62X34.9MM <i>AH168161</i>	9400, 9410, 9450, 9500, 9510, 9550, 9560, 9560STS, 9570STS, 9600, 9610, 9650, 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS, CTS II, CTS, S660, S670, S680, S690, S760, S770, S780, S790

IMAGE	PART NUMBER / ITEM	DESCRIPTION /REF	APPLICATION FITMENT
	EL305W3NTN ELEVATOR BEARING	BEARING ECCENTRIC LOCKING COLLAR MILD STEEL SUIT UL305LLSV6NTN BRG AH129452	9400, 9410, 9450, 9500, 9510, 9550, 9560, 9560STS, 9570STS, 9600, 9610, 9650, 9650STS, 9660STS, 670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS, CTS II, CTS, S660 S670, S680, S690, S760, S770, S780, S790
	210PPB20ECO FEEDER HOUSE BEARING	SRDG SEALED BALL BEARING 1-1/4IN HEX 31.88X90X36.5MM AH219987B	9560STS, 9570STS, 9660STS, 9670STS, 9760STS, 9770STS, 9860STS, 9870STS, S660, S670, S680, S690, S760, S770, S780, S790
	W208PPB16TIM FEEDER HOUSE BEARING, UNLOADING AUGER	SRDG SEALED BALL BEARING 1-1/4IN HEX 1.28X3.14X1.43IN JD9373	6620, 7720, 8820, 9560STS, 9570STS, 9650 STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS, S550, S650, S660, S670, S680, S690, S760, S770, S780, S790
	A-AH219987 FEEDER HOUSE BEARING	COMPLETE BEARING AND HOUSING FEEDER HOUSE AH219987	9560STS, 9570STS, 9660STS, 9670STS, 9760STS, 9770STS, 9860STS, 9870STS, S660, S670, S680, S690, S760, S770, S780, S790
	6311LLUC3NTN FEEDER HOUSE BEARING	BEARING INSERT BALL SEALED 55X120X29MM AH165609	9450, 9550, 9560, 9650, 9660, 9560STS, 9570STS, 9650CTS, 9650STS, 9660CTS, 9660STS, 9670STS, 9750STS, 9770STS, 9860STS, 9870STS, S550, S650, S660, S670, S680, A690, S760, S770, S7 600, S7 700
	ULF311-200V5NTN ROTOR BEARING	COMPLETE BEARING AND HOUSING FRONT ROTOR 185X50.8X57.8MM AXE42868	S660, S670, S680, S690, S760, S770, S780, S790
	G1100KRRBTIM BEARING	BEARING INSERT BALL INCL LOCK COLLAR 1.000INX52MMX1.750IN JD9273	MULTIPLE APPLICATIONS
	AEL205NTN BEARING	BALL BEARING INSERT SEALED ECC LOCK 25X52X31MM JD39102	MULTIPLE APPLICATIONS - ENGINE, GRAIN HANDLING, TAILINGS
	UEL207NTN BEARING	BALL BEARING INSERT SEALED ECC LOCK 35X72X51.1MM JD39104	MULTIPLE APPLICATIONS - GRAIN HANDLING, UNLOADING
	A-H147593 FEEDER HOUSE BEARING	BEARING HOUSING UPPER FEEDER HOUSE SHAFT H147593	9400, 9410, 9450, 9500, 9510, 9550, 9560, 9560STS, 9570STS, 9600, 9610, 9650, 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS, 9880STS, CTS II, CTS, S660, S670, S680, S690, S760, S770, S780





IMAGE	PART NUMBER / ITEM	DESCRIPTION / REF	APPLICATION FITMENT
	PF208ECO BEARING FLANGE	BEARING FLANGE 4 HOLE ROUND PRESSED STEEL 2 PIECES H113625	MULTIPLE APPLICATIONS
	PFT205ECO BEARING FLANGE	BEARING FLANGE 3 HOLE TRIANGLE PRESSED STEEL 2 PIECES H103264	MULTIPLE APPLICATIONS
	PF207ECO BEARING FLANGE	BEARING FLANGE 3 HOLE ROUND PRESSED STEEL 2 PIECES H171037	MULTIPLE APPLICATIONS
	A-H134118 BEARING HOUSING	PRESSED FLANGE HOUSING PRECLEANER SCHAFFER FRAME H134118	9400, 9410, 9450, 9500, 9510, 9550, 9560STS, 9570STS, 9600, 9610, 9650, 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS, 9880STS, CTS II, CTS, S660 S670, S680, S690, S760, S770, S780, S790

IMAGE	PART NUMBER / ITEM	DESCRIPTION / REF	APPLICATION FITMENT
	AG1062ORTIM ACCELERATOR DRIVE BELT	FEED ACCELERATOR DRIVE BELT HIGH SPEED EFFECTIVE LENGTH 2234MM HXE54503	9560STS, 9570STS, 9660STS, 9670STS, 9760STS, 9770STS, 9860STS, 9870STS, S660, S670, S680, S690, S760, S770, S780, S790
	AG1061ORTIM ACCELERATOR DRIVE BELT	FEED ACCELERATOR DRIVE BELT PIX STANDARD SPEED EFFECTIVE LENGTH 2110MM HXE95511	9560STS, 9570STS, 9660STS, 9670STS, 9760STS, 9770STS, 9860STS, 9870STS, S660, S670, S680, S690, S760, S770, S780, S790
	AG1061ORTIM ACCELERATOR DRIVE BELT	FEED ACCELERATOR DRIVE BELT HIGH SPEED TIMKEN EFFECTIVE LENGTH 2110MM HXE95511K	9560STS, 9570STS, 9660STS, 9670STS, 9760STS, 9770STS, 9860STS, 9870STS, S660, S670, S680, S690, S760, S770, S780, S790
	AG1055ORTIM ACCELERATOR DRIVE BELT	FEED ACCELERATOR DRIVE BELT SLOW SPEED EFFECTIVE LENGTH 2255MM H221732	5660, 5670, 5680, 5690, 5760, 5770, 5780
	AG1430OWTIM# ACCELERATOR JACKSHAFT BELT	FEED ACCELERATOR JACKSHAFT DRIVE EFFECTIVE LENGTH 2855MM HXE88564	S660, S670, S680, S690, S760, S770, S780, S790
	8PK2268HDGAT ALTERNATOR BELT	ENGINE ALTERNATOR BLT 9.0L EFFECTIVE LENGTH 2264MM H238822	S660, S670, S760, S770
	8PK2098HDGAT ALTERNATOR BELT	ENGINE ALTERNATOR DRIVE 13.5L EFFECTIVE LENGTH 2100MM H238831	S680, S690, S780, S790
	AG1220OWTIM# BEATER DRIVE BELT	DISCHARGE BEATER DRIVE BELT EFFECTIVE LENGTH 4345MM HXE15556	S650, S660, S760, S770
	AG1228OWTIM CHOPPER DRIVE BELT	STRAWCHOPPER DRIVE EFFECTIVE LENGTH 4775MM H125380	6620, 7720, 9400, 9410, 9500, 9510, 9600, 9610
	AG1223OWTIM CHOPPER DRIVE BELT	STRAW CHOPPER DRIVE EFFECTIVE LENGTH 4450MM H125381	9400, 9500, 9510, 9600, 9610, CTS II, CTS

Available on Request

IMAGE	PART NUMBER / ITEM	DESCRIPTION / REF	APPLICATION FITMENT
	AG10280WTIM# CHOPPER DRIVE BELT	STRAW CHOPPER DRIVE 2HB SECTION EFFECTIVE LENGTH 4420MM H175434	9500
	AG12000WTIM CHOPPER DRIVE BELT	STRAW CHOPPER DRIVE EFFECTIVE LENGTH 3124MM H23950	6600, 7700, 9400, 9500, 9510, 9550, 9560, 9600, 9610, CTS II, CTS
	AG11960WTIM# CHOPPER DRIVE BELT	CHOPPER JACKSHAFT LOWER DRIVE EXTRA FINE CUT EFFECTIVE LENGTH 2930MM H240972	S650, S660, S670, S680, S690, S770, S780, S790
	AG10920WTIM# CHOPPER DRIVE BELT	CHOPPER JACKSHAFT DRIVE EXTRA FINE CUT EFFECTIVE LENGTH 3010MM H240974	S650, S660, S670, S680, S690, S770, S780, S790
	AG10420WTIM CHOPPER DRIVE BELT	CHOPPER JACKSHAFT DRIVE C & XFC EFFECTIVE LENGTH 2990MM HXE124869	S650, S660, S670, S680, S690, S760, S770, S780, S790
	AG18810WTIM CHOPPER DRIVE BELT	STRAW CHOPPER DRIVE EFFECTIVE LENGTH 2883MM P47885	9500, 9600, 9610, CTS
	AG11310WTIM# CHOPPER JACKSHAFT BELT	CHOPPER DRIVE BELT 13.5L EXTRA FINE CUT EFFECTIVE LENGTH 3320MM H240888	S660, S670, S680, S690
	AG10870WTIM CHOPPER JACKSHAFT BELT	CHOPPER JACKSHAFT DRIVE BELT 9.0L EXTRA FINE CUT EFFECTIVE LENGTH 3305MM H241000	S670, S770
	AG10940WTIM CHOPPER JACKSHAFT BELT	STRAW SPREADER DRIVE FINE CUT EFFECTIVE LENGTH 3358MM HXE124868	S660, S670, S680, S690, S760, S770, S780, S790
	AG14150WTIM CLEAN GRAIN ELEVATOR BELT	CLEAN GRAIN ELEVATOR DRIVE EFFECTIVE LENGTH 6900MM EXTRA HIGH CAPACITY HXE20763	S680, S690, S790

Available on Request

IMAGE	PART NUMBER / ITEM	DESCRIPTION /REF	APPLICATION FITMENT
	AG1295ORTIM CLEANING FAN DRIVE BELT	SEPARATOR FAN DRIVE 750-1350 RPM EFFECTIVE LENGTH 2615MM H140404	9400, 9410, 9500, 9600, CTS
	AG1307ORTIM CLEANING FAN DRIVE BELT	CLEANING FAN DRIVE EFFECTIVE LENGTH 2334MM HXE15594	S670, S680, S690
	AG1308ORTIM CLEANING FAN DRIVE BELT	SEPARATOR FAN DRIVE 490-980 RPM EFFECTIVE LENGTH 2445MM H137264	9400, 9410, 9500, 9600, CTS
	AG1307ORTIM CLEANING FAN DRIVE BELT	CLEANING FAN DRIVE BELT EFFECTIVE LENGTH 2334MM HXE99294	S660, S670, S680, S690, S760, S770, S780, S790
	9560GAT COMPRESSOR DRIVE BELT	COMPRESSOR DRIVE COMPRESSOR 404TH-01 SERIAL 8001-163900 EFFECTIVE LENGTH 1442MM H80896	6600, 7700, 9400, 9500, 9600, CTS
	9530GAT COMPRESSOR DRIVE BELT	COMPRESSOR DRIVE COMPRESSOR 404DH-04 SERIAL 8001-163900 EFFECTIVE LENGTH 1346MM H81742	7700, 9500, 9600, CTS
	8PK149OGAT COMPRESSOR DRIVE BELT	AIR COMPRESSOR DRIVE BELT 9.0L ENGINE AUTOMOTIVE EFFECTIVE LENGTH 1491MM HXE71043	S650, S660, S670, S760, S770
	SPZX1700TIM COMPRESSOR DRIVE BELT	AIR COMPRESSOR DRIVE BELT EFFECTIVE LENGTH 1702MM HXE71061	S680, S690, S780, S790
	B53RTIM COOLING FAN BELT	COOLING FAN DRIVE ENGINE FAN DRIVE EFFECTIVE LENGTH 1422MM H132808	9400, 9410, 9450, 9500, 9600, CTS
	AG1229OWTIM COUNTERSHAFT DRIVE BELT	SECONARY COUNTERSHAFT DRIVE EFFECTIVE LENGTH 4860MM H128010	9400, 9410, 9450, 9500, 9510, 9550, 9560, 9600, 9610, CTS II, CTS

Available on Request

IMAGE	PART NUMBER / ITEM	DESCRIPTION / REF	APPLICATION FITMENT
	AG1363ORTIM CYLINDER DRIVE BELT	INTER CYLINDER DRIVE BELT INTERMEDIATE DRIVE H115759	9400, 9410, 9500, 9510, 9550, 9560, 9600, 9610, 9650, CTS II, CTS
	AG11180WTIM CYLINDER DRIVE BELT	SLOW CYLINDER DRIVE BELT JOHN DEERE (SLOW SPEED) EFFECTIVE LENGTH 2700MM H118618	9400, 9410, 9500, 9510, 9550, 9560, 9600, 9610, 9650, CTS II, CTS
	AG1368OR# CYLINDER DRIVE BELT	INTER CYLINDER DRIVE BELT EFFECTIVE LENGTH 2270MM H137670	9400, 9410, 9450, 9550, CTS
	AG11210WTIM CYLINDER DRIVE BELT	CYLINDER DRIVE BELT EFFECTIVE LENGTH 2830MM HXE94488	9400, 9410, 9450, 9500, 9510, 9550, 9610, 9650, CTS II, CTS
	AG10500WTIM DISCHARGE BEATER DRIVE BELT	DISCHARGE BEATER DRIVE BELT S SERIES EFFECTIVE LENGTH 4345MM HXE124870	S660, S670, S680, S690, S760, S770, S780, S790
	AG12420WTIM ELEVATOR DRIVE BELT	GRAIN ELEVATOR DRIVE BELT SN TO 640100 EFFECTIVE LENGTH 8055MM H137830	9400, 9500
	AG12440WTIM ELEVATOR DRIVE BELT	GRAIN ELEVATOR DRIVE BELT SN FROM 640100 EFFECTIVE LENGTH 8200MM H141167	9400, 9500, 9610, CTS
	AG12370WTIM ELEVATOR DRIVE BELT	GRAIN ELEVATOR DRIVE BELT EFFECTIVE LENGTH 6700MM H218645	9650STS, 9670STS, 9750STS, 9760STS, S550, S650, S660, S760, S770, S7 600, S7 700
	AG12880WTIM ELEVATOR DRIVE BELT	CLEAN GRAIN ELEVATOR DRIVE EFFECTIVE LENGTH 6850MM H223230	S9770STS, 9870STS, S670, S680, S690HM, S760, S770, S780, S790, S7 700, S7 800, S7 850, S7 900
	AG12130WTIM ELEVATOR JACKSHAFT BELT	ELEVATOR JACKSHAFT DRIVE EFFECTIVE LENGTH 3840MM H154723	9650STS, 9670STS, 9750STS, 9770STS, 9870STS, S550, S650, S660, S670, S680, S690, S760, S770, S780, S790

Available on Request

IMAGE	PART NUMBER / ITEM	DESCRIPTION / REF	APPLICATION FITMENT
	6PK1865GAT ENGINE BLOWER FAN BELT	ENGINE BLOWER FAN BELT LENGTH 1864MM HXE69280	S650, S660, S670, S760, S770
	6PK1887# ENGINE BLOWER FAN BELT	ENGINE BLOWER FAN BELT LENGTH 1877MM HXE69281	S680, S690, S780, S790
	AG1848ORTIM# ENGINE FAN DRIVE BELT	ENGINE FAN BELT 9.0L VARIABLE SPEED EFFECTIVE LENGTH 1468MM HXE22617	S650, S660, S670, S760, S770
	10PK1970GAT# ENGINE FAN DRIVE BELT	ENGINE FAN BELT 13.5L EFFECTIVE LENGTH 1783MM HXE32548	S680, S690, S780, S790
	AG1439WTIM FEEDER DRIVE BELT	FEED FEEDER HOUSE DRIVE FIXED SPEED H/DUTY EFFECTIVE LENGTH 4062MM H174885	9670STS, 9770STS, 9870STS, S650, S660, S670, S680, S690, S760, S770, S780, S790
	AG20030WTIM FEEDER DRIVE BELT	FEED FEEDER HOUSE DRV BELT STANDARD DUTY EFFECTIVE LENGTH 3996MM H203474	9560STS, 9570STS, 9660STS, 9670STS, 9760STS, 9770STS, 9860STS, S650, S660
	AG1333OR# FEEDER DRIVE BELT	FEEDER HOUSE DRIVE BELT HD VARIABLE SPEED EFFECTIVE LENGTH 4068MM H218726	9650STS, 9670STS, 9750STS, 9770STS, S550, S650, S660, S760
	AG1923ORTIM FEEDER DRIVE BELT	FEEDER HOUSE DRIVE BELT VARIABLE SPEED HT EFFECTIVE LENGTH 4068MM H220911	9670STS, 9770STS
	AG11020WTIM FEEDER DRIVE BELT	FEED FEEDER HOUSE DRIVE 5 SPEED EFFECTIVE LENGTH 4062MM H229019	9770STS, 9870STS, S670, S680, S690, S770, S780, S790
	AG1347ORTIM# FEEDER DRIVE BELT	FEEDER HOUSE DRIVE S SERIES WITH FORE/AFT TILT EFFECTIVE LENGTH 4068MM HXE45928	9670STS, 9770STS, 9870STS, S650, S660, S670, S690, S760, S770

Available on Request

IMAGE	PART NUMBER / ITEM	DESCRIPTION / REF	APPLICATION FITMENT
	AG14850WTIM# FEEDER DRIVE BELT	FEED FEEDER HOUSE DRIVE BELT 5 SPD FORE/AFT EFFECTIVE LENGTH 3913MM HXE47152	S670, S680, S690, S770, S780, S790
	AG14370WTIM# FEEDER DRIVE BELT	FEED FEEDER HOUSE DRIVE BELT HIGH TORQUE FIXED SPEED WITH FORE/AFT TILT EFFECTIVE LENGTH 3913MM HXE50398	S660, S670, S680, S690, S760, S770, S780, S790
	AG17280RTIM# FEEDER DRIVE BELT	FEED FEEDER HOUSE DRIVE BELT HIGH TORQUE VARIABLE SPEED WITH FORE/AFT TILT EFFECTIVE LENGTH 3922MM HXE50399	S660, S670, S690, S760, S770
	AG12831R# FEEDER HOUSE DRIVE BELT	FEEDER HOUSE DRIVE V-BELT H140160	9400, 9410, 9450, 9500, 9510, 9550, 9560, 9600, 9610, 9650, CTS II, CTS
	AG12820WTIM FEEDER HOUSE DRIVE BELT	FEEDER HOUSE DRIVE BELT EFFECTIVE LENGTH 4250MM H125565	9400, 9500, 9600, 9650STS, 9750STS
	AG13180RTIM FEEDER HOUSE DRIVE BELT	FEEDER HOUSE DRIVE BELT VARIABLE SPEED EFFECTIVE LENGTH 4520MM H125711	9400, 9500, 9600, CTS
	AG12840WTIM FEEDER HOUSE DRIVE BELT	FEEDER HOUSE DRIVE BELT FIXED SPEED EFFECTIVE LENGTH 4650MM H126345	9400, 9410, 9450, 9500, 9510, 9550, 9560, 9560STS, 9600, 9610, 9650, 9660STS, 9760STS, 9870STS, CTS II, CTS
	AG12850WTIM FEEDER JACKSHAFT BELT	FEEDER HOUSE JACKSHAFT BELT STANDARD DUTY EFFECTIVE LENGTH 4785MM H156796	9450, 9550, 9650, 9670STS, 9770STS
	AG11060WTIM FEEDER JACKSHAFT BELT	FEEDER HOUSE JACKSHAFT BELT 5 SPD FEEDER HOUSE EFFECTIVE LENGTH 4780MM H229018	9770STS, 9870STS, S670, S680, S690, S770, S780, S790
	AG10530WTIM FEEDER JACKSHAFT BELT	FEEDER HOUSE JACKSHAFT BELT E-CLUTCH HEAVY DUTY EFFECTIVE LENGTH 4780MM HXE95935	9650STS, 9670STS, 9750STS, 9770STS, 9870STS, S650, S660, S670, S680, S690, S760, S770, S780, S790

Available on Request

IMAGE	PART NUMBER / ITEM	DESCRIPTION / REF	APPLICATION FITMENT
	AG15960WTIM ROTARY SCREEN DRIVE BELT	AIR SCREEN DRIVE BELT SCREEN SIDE EFFECTIVE LENGTH 4920MM H221273	9670STS, 9770STS, 9870STS, S550, S650, S660, S670, S680, S690, S760, S770, S780, S790, T550, T560, T660, T670
	13A2070DAY ROTARY SCREEN DRIVE BELT	AIR SCREEN DRIVE BELT EFFECTIVE LENGTH 2070MM H238867	S650, S660, S670, S680, S690, S760, S770, S780
	A86RTIM ROTARY SCREEN DRIVE BELT	AIR SCREEN DRIVE BELT 13.5L ENGINE SIDE EFFECTIVE LENGTH 2212MM HXE130611	S680, S690, S760, S770, S780, S790
	A90RTIM ROTARY SCREEN DRIVE BELT	AIR SCREEN DRIVE BELT 9.0L ENGINE SIDE EFFECTIVE LENGTH 2334MM HXE130612	S660, S670, S760, S770, S780, S790
	716R151TIM ROTARY SCREEN BELT	ROTARY SCREEN DRIVE ROUND EFFECTIVE LENGTH 3830MM H145158	9400, 9410, 9450, 9500, 9510, 9550, 9600, 9610, 9650, CTS II, CTS
	AG13670RTIM ROTOR DRIVE BELT	FEEDER ROTOR DRIVE BELT LARGE SHEAVES EFFECTIVE LENGTH 3260MM HXE147321	9650STS, 9750STS, 9770STS, S7 700, S7 800, S7 900, S670, S680, S690, S760, S770, S780, S790
	AG13660RTIM ROTOR DRIVE BELT	FEEDER ROTOR DRIVE BELT REGULAR SHEAVES EFFECTIVE LENGTH 3060MM HXE150557	S650, S660, S670, S760, S770
	AG13660RTIM ROTOR DRIVE BELT	ROTOR DRIVE BELT EFFECTIVE LENGTH 3060MM HXE46027	9570STS, 9660STS, 9670STS, 9760STS
	AG12360WTIM SHOE DRIVE BELT	SHOE STRAW WALKER DRIVE EFFECTIVE LENGTH 6580MM H131169	9400, 9410, 9450, 9500, 9510, 9550, 9600, 9610, 9650, CTS II, CTS
	AG22920WTIM# SHOE DRIVE BELT	AUGER SHOE DRIVE BELT EFFECTIVE LENGTH 6910MM HXE102288	S660, S670, S680, S690, S760, S770, S780, S790

Available on Request

IMAGE	PART NUMBER / ITEM	DESCRIPTION / REF	APPLICATION FITMENT
	AG12380WTIM SHOE DRIVE BELT	AUGER SHOE DRIVE BELT HC SECTION EFFECTIVE LENGTH 6910MM HXE82335	S650, S660, S670, S680, S690, S760, S770, S780
	AG16460WTIM STRAW SPREADER BELT	STRAW SPREADER DRIVE EFFECTIVE LENGTH 5510MM H128234	9500, 9510, 9550, 9560, 9600, 9610, 9650, CTS II, CTS
	AG12040WTIM TAILINGS AUGER BELT	LOWER TAILING AUGER V-BELT EFFECTIVE LENGTH 3333MM N110085	6600, 7700, 7720, 8820, 9400, 9410, 9450, 9500, 9510, 9550, 9560, 9600, 9610, CTS II, CTS
	AG12590WTIM TAILINGS RETHRESHER BELT	CLEAN TAILING ELEVATOR BELT EFFECTIVE LENGTH 2100MM H154731	S660, S670, S760, S770
	AG17840WTIM TAILINGS RETHRESHER BELT	TAILINGS RETHRESHER DRIVE EFFECTIVE LENGTH 2984MM H240895	S670, S680, S690, S780, S790
	AG11800WTIM UNLOADER DRIVE BELT	UNLOADER AUGER BELT 2 BELT SET EFFECTIVE LENGTH 3127MM AH160080	S660, S670, S690, S760, S770
	AG11800WTIM UNLOADER DRIVE BELT	UNLOADER DRIVE BELT 2 BELT SET EFFECTIVE LENGTH 3127MM AH233198	S680, S690, S770, S780
	A57RTIM VACUUM DRIVE BELT	VACUUM DRIVE BELT SCREEN EFFECTIVE LENGTH 1508MM HXE38073	S680, S690, S780, S790
	A47RTIM VACUUM DRIVE BELT	VACUUM DRIVE BELT UPPER 9L SCREEN EFFECTIVE LENGTH 1255MM HXE68015	S660, S670, S760, S770
	A41ULTRA+ VACUUM DRIVE BELT	VACUUM DRIVE BELT LOWER 9L SCREEN EFFECTIVE LENGTH 1101MM HXE68016	S660, S670, S760, S770

Available on Request

IMAGE	PART NUMBER / ITEM	DESCRIPTION / REF	APPLICATION FITMENT
	A-AH149349 SPROCKET FEEDER HOUSE	FEEDER HOUSE DRIVE CHAIN SPROCKET 15T / 22T AH149349	9400, 9410, 9450, 9500, 9510, 9550, 9560, 9650STS, 9750STS, CTS II, CTS, S560
	A-AH203076 SPROCKET FEEDER HOUSE	FEEDER HOUSE FRONT SHAFT DRIVE SPROCKET AH232851	9560STS, 9570STS, 9660STS, 9670STS, 9760STS, 9770STS, 9860STS, 9870STS, 9880STS, S660, S670, S680, S690, S760, S770, S780, S790
	WI185 SPROCKET FEEDER HOUSE	FEEDER HOUSE UPPER SPROCKET CA550 X 10T X1-3/4 HEX BORE H118583	6620, 7700, 7720, 8820, 9400, 9500, 9600, CTS
	WI205 SPROCKET FEEDER HOUSE	FEEDER HOUSE INNER UPPER SPROCKET A557 X 13T X 2-1/4IN BORE H159616	9470STS, 9560STS, 9560iSTS, 9570STS, 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS, 9880STS, 9880iSTS, S550,
	WI206 SPROCKET FEEDER HOUSE	FEEDER HOUSE OUTER UPPER SPROCKET A557 X 13T X 2-1/4IN BORE H159615	9470STS, 9560STS, 9560iSTS, 9570STS, 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS, 9880STS, 9880iSTS, S550,
	WI209 SPROCKET FEEDER HOUSE	FEEDER HOUSE UPPER SPROCKET CA557 X 13T X 2-1/4IN BORE HXE123463	9670STS, 9770STS, 9870STS, S650, S660, S670, S680, S690, S760, S770, S780, S790, T550, T560, T660, T670, W540, W550, W650, W660, S7 600, S7 700, S7 800, S7 900
	CA557CONLINAG CHAIN LINK	CONNECTOR LINK WITH PINS CA557 CHAIN AH166638	S540, S550, S560, A650, S660, S670, S680, S690, 9470STS, 9560STS, 9570STS, 9650STS, 9660STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS, 9880STS, 9880iSTS
	A557CLCP-THRD CHAIN LINK	THREADED CONNECTOR LINK WITH NUTS CHROME PIN CA557 CHAIN AH220541	S540, S550, S560, A650, S660, S670, S680, S690, 9470STS, 9560STS, 9570STS, 9650STS, 9660STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS, 9880STS, 9880iSTS
	A557OL CHAIN LINK	OFFSET LINK WITH PINS CA557 CHAIN AH166639	S540, S550, S560, A650, S660, S670, S680, S690, 9470STS, 9560STS, 9570STS, 9650STS, 9660STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS, 9880STS, 9880iSTS
	A557OLCP-THRD CHAIN LINK	THREADED OFFSET LINK WITH NUTS CHROME PIN CA557 CHAIN AH220867	S540, S550, S560, A650, S660, S670, S680, S690, 9470STS, 9560STS, 9570STS, 9650STS, 9660STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS, 9880STS, 9880iSTS

IMAGE	PART NUMBER / ITEM	DESCRIPTION / REF	APPLICATION FITMENT
	CM090COCPHD FEEDER HOUSE CHAIN	CHAIN ONLY FEEDER HOUSE HEAVY DUTY AXE50417	S670, S680, S690, S770, S780, S790, S7 700, S7 800, S7 900
	CM090HDOEMCP FEEDER HOUSE CHAIN	CHAIN ASSY FEEDER HOUSE HEAVY DUTY CHROME PIN C/W 24 SLATS CA557 3 STRAND AXE17889, AXE24307, AH228592	S650, S660, S670, S680, S690, 9670STS, 9770STS, 9870STS
	A-AXE27247LS FEEDER HOUSE CHAIN	CHAIN ONLY FEEDER HOUSE 4 STRAND A557 LESS SLATS AXE27248, AXE27249	S650, S660, S670, S680, S690, S760, S770, S780, S790
	CM096HDOEMCOC FEEDER HOUSE CHAIN	CHAIN ONLY FEEDER HOUSE CHROME PIN HEAVY DUTY A557 4 STRAND AXE27248, AXE27249	S650, S660, S670, S680, S690, S760, S770, S780, S790
	CM096HDOEMCP FEEDER HOUSE CHAIN	CHAIN COMPLETE ASSY FEEDER HOUSE CHROME PIN A557 4 STRAND 36 SLATS AXE27247	S650, S660, S670, S680, S690, S760, S770, S780, S790
	CM078-OEM-CP FEEDER HOUSE CHAIN	CHAIN COMPLETE ASSY FEEDER HOUSE CHROME PIN CA557 3 STRAND 91 LINK 30 SLATS AXE17470, AXE12764	9660STS, 9670STS, 9760STS, 9770STS, 9870STS, S690
	CM078-OEM-CO-CP FEEDER HOUSE CHAIN	CHAIN ONLY FEEDER HOUSE CHROME PIN CA557 3 STRAND 91 LINK AXE17470, AXE12764	9660STS, 9670STS, 9760STS, 9770STS, 9870STS, S690
	A-AH220242-PF POSIFEED ROLLER	POSIFEED ROLLER DRUM FOR FEEDER HOUSE AH220242	S690, 9660STS, 9670STS, 9760STS, 9770STS, 9860STS, 9880iSTS
	AH220242 FEED ROLL DRUM	FEEDER HOUSE DRUM NARROW HEAVY DUTY AH220242	S690, 9660STS, 9670STS, 9760STS, 9770STS, 9860STS, 9880iSTS
	A-AH226058 IDLER PULLEY	IDLER PULLEY SPLIT HALF (2 REQ) FEEDER HOUSE AH226058	9770STS, 9870STS, S660, S670, S680, S690, S760, S770, S780, S790




IMAGE	PART NUMBER / ITEM	DESCRIPTION / REF	APPLICATION FITMENT
	A-H219180 WEAR PLATE BOTTOM FLOOR	FEEDER HOUSE BOTTOM FLOOR PLATE STAINLESS STEEL H219180	9660STS, 9670STS, 9760STS, 9770STS, 9860STS, 9870STS, S660, S670, S680, S690, S760, S770, S780, S790
	A-AH156157 COVER STONE TRAP	FEEDER HOUSE COVER PLATE FOR STONE TRAP MODELS AH156157	9560STS, 9570STS, 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS, 9880STS, S660, S670, S680, S690, S760, S770, S780, S790
	A-H148187 WEAR STRIP	WEAR STRIP FEEDER HOUSE RETURN H148187	9400, 9410, 9450, 9500, 9510, 9550, 9560, 9600, 9610, 9650, 9650STS, 9750STS, CTS II, CTS
	A-H171372 FRAME PLATE	FRONT FEEDER HOUSE FRAME PLATE H171372	9560, 9650STS, 9660STS, 9750STS, 9760STS, 9860STS, 9880STS
	A-H171960 WEAR STRIP	WEAR STRIP FEEDER HOUSE UPPER RETURN H171960	9450, 9550, 9560STS, 9570STS, 9650STS, 9660STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS, 9880STS, S660, S670, S680, S690, S760, S770, S780, S790
	A-AH218352 FEEDER HOUSE FLOOR	FEEDER HOUSE FLOOR 4MM STAINLESS STEEL AH218352	9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS, 9880STS, S660, S670, S680, S690, S760, S770, S780, S790
	AXE29353 FEEDER HOUSE FLOOR	FEEDER HOUSE FLOOR SUIT COMBINE WITH HYD FOR/AFT TILT AXE29353	S660, S670, S680, S690, S760, S770, S780, S790
	CMHXE42567 SHAFT FEEDER HOUSE	FEEDER HOUSE UPPER DRIVE SHAFT 4 SPROCKET SHAFT HXE42567	S650, S660, S670, S680, S690, S760, S770, S780, S790
	KS3/8X3/8 SHAFT KEY FEEDER HOUSE	FEEDER HOUSE SHAFT KEY 3/8IN X 3/8IN X 5.236IN 12IN LONG CUT TO 5.236IN H229470	9570STS, 9670STS, 9770STS, 9870STS, S660, S670, S680, S690, S760, S770, S780, S790
	A-H173904 SEAL FEEDER FLOOR PLATE	FEEDER HOUSE FLOOR SEAL STAINLESS STEEL H173904	9450, 9500, 9550, 9560, 9650STS, 9660STS, 9750STS, 9760STS, 9770STS, 9860STS, 9880STS, CTS, S660, S670, S680, S690, S760, S770, S780, S790



IMAGE	PART NUMBER / ITEM	DESCRIPTION / REF	APPLICATION FITMENT
	A-AH171322 ROTOR COVER	ROTOR COVER SEPERATOR AREA AH171322	9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS, S690
	A-AH208573 ROTOR COVER	ROTOR COVER THRESHING SECTION AH208573	9650STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS, 9880STS, S690
	A-AH208966 ROTOR COVER	ROTOR COVER VANE TRANSPORT FEED SECTION AH208966	9650STS, 9660STS, 9750STS, 9760STS, 9860STS, 9880STS, S660, S670, S680, S690, S760, S770, S780, S790
	CMAH208967 ROTOR COVER	ROTOR COVER VANE TRANSPORT FEED SECTION STAINLESS STEEL AH208967	9650STS, 9660STS, 9750STS, 9760STS, 9860STS, 9880STS, S660, S670, S680, S690, S760, S770, S780, S790
	A-H206715 ROTOR COVER	CONCAVE LATCH KIT SET OF 3 H206715	9560STS, 9570STS, 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS, 9880STS, S660, S670, S680, S690, S760, S770, S780, S790
	A-AH216568 ROTOR FLIGHT	FRONT FLIGHT REPAIR KIT SUIT BULLET ROTOR AH216568	9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS, 9880STS, S660, S670, S680, S690, S760, S770, S780, S790
	A-AH208554 THRESHING TINE	THRESHING TINE HARDENED SET OF 3 AH208554	9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS, 9880STS, S660, S670, S680, S690, S760, S770
	A-AH209123 THRESHING TINE	THRESHING TINE CHROME SET OF 3 AH209123	9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS, 9880STS, S660, S670, S680, S690, S760, S770
	A-AH216573 THRESHING ELEMENTS	THRESHING ELEMENT KIT HIGH WEAR RICE SPEC POS #3, 4 & 5 TRI-STREAM ROTOR SET OF 3 AH216573	9660STS, 9670STS, 9760STS, 9770STS, 9860STS, 9870STS, 9880STS, S690
	A-AH216674 THRESHING ELEMENTS	THRESHING ELEMENT KIT HIGH WEAR POS #1 TRI-STREAM ROTOR SET OF 3 AH216674	9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS, 9880STS, S660, S670, S680, S690, S760, S770, S780, S790



IMAGE	PART NUMBER / ITEM	DESCRIPTION /REF	APPLICATION FITMENT
	A-AH216675 THRESHING ELEMENTS	THRESHING ELEMENT KIT HIGH WEAR POS #2 TRI-STREAM ROTOR SET OF 3 AH216675	9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS, 9880STS, S660, S670, S680, S690, S760, S770, S780, S790
	A-AH216677 THRESHING ELEMENTS	THRESHING ELEMENT KIT HARDENED POS # 3, 4 & 5 SET OF 3 TRI-STREAM & VARIABLE ROTOR AH216677	9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS, S660, S670, S680, S690, S760, S770, S780, S790
	A-AH216678 THRESHING ELEMENTS	THRESHING ELEMENT HIGH WEAR POS #3, 4 & 5 SET OF 3 TRISTREAM & VARIABLE ROTOR AH216678	9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS, S660, S670, S680, S690, S760, S770, S780, S790
	A-AH216569 TRANSITION PARTS	REAR FLIGHT REPAIR KIT SUIT BULLET ROTOR AH216569	9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS, 9880STS, S660, S670, S680, S690, S760, S770, S780, S790
	A-AH216018 ACCELERATOR WEAR PLATE	FEED ACCELERATOR WEAR PLATE PACK OF 10 AH216018	9570STS, 9660STS, 9670STS, 9760STS, 9770STS, 9860STS, 9870STS, 9880STS, S660, S670, S680, S690, S760, S770, S780, S790
	A-H165407 BEATER PLATE	BEATER DISCHARGE WEAR PLATE H165407	9560STS, 9570STS, 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS, S660, S670, S680, S690, S760, S770, S780, S790
	A-AH215091 CONCAVE SUPPORT PLATE	CONCAVE SUPPORT PLATE AH215091	9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS, 9880STS, S660, S670, S680, S760, S770, S780, S790
	CMAH223656 SEPARATOR GRATE	SEPARATOR GRATE ONE PIECE AH223656	9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS, S660, S670, S680, S690, S760, S770, S780, S790
	A-AH207850 CONCAVE SMALL WIRE	CONCAVE 25 WIRE POSITION 1 FRONT AXE28960	9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS, S660, S670, S680, S690, S760, S770, S780, S790
	A-AH207851 CONCAVE SMALL WIRE	CONCAVE 25 WIRE POSITION 2/3 MIDDLE OR REAR AXE28961	9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS, S660, S670, S680, S690, S760, S770, S780, S790






IMAGE	PART NUMBER / ITEM	DESCRIPTION / REF	APPLICATION FITMENT
	A-AH205254 CONCAVE - SMALL GRAIN	CONCAVE FRONT SMALL GRAIN WITH LIP AH205254, AXE28812	S650, S660, S670, S680, S685, S690, S760, S770, S780, S785, S790, 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS, 9880STS, 9880i STS
	A-AH205254HB CONCAVE - SMALL GRAIN	CONCAVE FRONT SMALL GRAIN HELICAL BAR WITH LIP AH205254HB	S650, S660, S670, S680, S685, S690, S760, S770, S780, S785, S790, 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS, 9880STS, 9880i STS
	A-AH205255 CONCAVE - SMALL GRAIN	CONCAVE MIDDLE AND REAR SMALL GRAIN AH205255, AXE28958	S650, S660, S670, S680, S685, S690, S760, S770, S780, S785, S790, 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS, 9880STS, 9880i STS
	A-AH205255HB CONCAVE - SMALL GRAIN	CONCAVE MIDDLE AND REAR HELICAL BAR SMALL GRAIN AH205255HB	S650, S660, S670, S680, S685, S690, S760, S770, S780, S785, S790, 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS, 9880STS, 9880i STS
	A-AH205260 CONCAVE - LARGE WIRE	CONCAVE MIDDLE AND REAR LARGE WIRE AH205260, AH150588	S650, S660, S670, S680, S685, S690, S760, S770, S780, S785, S790, 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS, 9880STS, 9880i STS

IMAGE	PART NUMBER / ITEM	DESCRIPTION / REF	APPLICATION FITMENT
	A-AH212239 TOP SIEVE	TOP SIEVE GENERAL PURPOSE CHAFFER SHORT FINGER 1-1/8IN ELECTRIC LENGTH 63.25IN x WIDTH 51.87IN AH212239	9560STS, 9570STS, 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS, S690
	A-AXE28477 TOP SIEVE	TOP SIEVE STD LOURVE WITH DUAL ADJUSTMENT AXE28477	S660, S670, S680, S690
	A-AH212241 BOTTOM SIEVE	BOTTOM SIEVE GENERAL PURPOSE CHAFER 1-1/8IN BLUNT FINGER ELECTRIC 54.75IN L x 51.87IN W AH212241	9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS, S690
	A-AXE20448 BOTTOM SIEVE	BOTTOM SIEVE STD LOURVE ANTI RATTLE AXE20448	S660, S670, S680, S690
	A-H142188 AUGER BLOCK	WOODEN BEARING BLOCK SHOE GRAIN SUPPLY AUGER H142188	9400, 9410, 9450, 9500, 9510, 9550, 9600, 9610, 9650, 9660, CTS II, CTS, 9650CTS, 9660CTS, 9780CTS
	A-H137215 BEVEL GEAR	BEVEL GEAR SHOE AUGER 13T 1IN BORE H137215	9400, 9410, 9450, 9500, 9510, 9550, 9560STS, 9570STS, 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS, 9880STS, CTSII, CTS, S660, S670, S680, S690, S760, S770, S780, S790
	A-H211285 BEVEL GEAR	BEVEL GEAR AUGER DRIVE 13T 1IN BORE X 1/4IN KEY H174745	9560STS, 9570STS, 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS, 9880STS, S660, S670, S680, S690, S760, S770, S780, S790
	A-H134118 BEARING HOUSING	PRESSED FLANGE HOUSING PRECLEANER SCHAFFER FRAME H134118	9400, 9410, 9450, 9500, 9510, 9550, 9560STS, 9570STS, 9600, 9610, 9650, 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS, 9880STS, CTS II, CTS, S660 S670, S680, S690, S760, S770, S780, S790
	A-H206345 FAN BALDES	CLEANING SHOE FAN BLADE H206345	9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS, 9880STS, S660, S670, S680, S690, S760, S770, S780, S790
	A-H171186 SHAFT	DRIVE SHAFT CLEANING SHOE 1IN OD 1640MM LONG H171186	9560STS, 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS, 9880STS, S660, S670, S680, S690, S760, S770, S780, S790






IMAGE	PART NUMBER / ITEM	DESCRIPTION /REF	APPLICATION FITMENT
	KS1/4X1/4 KEYSTEEL	CLEANING SHOE SHAFT KEY 1/4IN X 1/4IN X 12IN CUT TO 1-1/4IN LONG M48583	9560STS, 9570STS, 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS, 9880STS, S660, S670, S680, S690, S760, S770, S780, S790
	A-AH146786 AUGER	AUGER CLEANING SHOE LH STANDARD WEAR AH146786	S540, S550, S560, S650, S660, S670, S680, S690, 9470STS, 9560STS, 9570STS, 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS, 9880STS, 9880iSTS
	A-AH168284 AUGER	AUGER CLEANING SHOE LH HIGH WEAR AH168284	S540, S550, S560, S650, S660, S670, S680, S690, 9470STS, 9560STS, 9570STS, 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS, 9880STS, 9880iSTS
	A-AH146787 AUGER	AUGER CLEANING SHOE RH STANDARD WEAR AH146787	S540, S550, S560, S650, S660, S670, S680, S690, 9470STS, 9560STS, 9570STS, 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS, 9880STS, 9880iSTS
	A-AH168285 AUGER	AUGER CLEANING SHOE RH HIGH WEAR AH168285	S540, S550, S560, S650, S660, S670, S680, S690, 9470STS, 9560STS, 9570STS, 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS, 9880STS, 9880iSTS











IMAGE	PART NUMBER / ITEM	DESCRIPTION / REF	APPLICATION FITMENT
	KS8MMX7MM KEY STEEL AUGER	SHAFT KEY LOWER TAILINGS AUGER 8MM X 7MM X 40MM CUT TO 40MM LONG 49M4111	9400, 9410, 9450, 9500, 9510, 9550, 9560, 9560STS, 9570STS, 9600, 9610, 9650, 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS, CTS II, CTS, S660, S670, S680, S690, S760, S770, S780, S790
	KS8MMX7MM KEY STEEL AUGER	SHAFT KEY CROSS GRAIN AUGER 8MM X 7MM X 50MM CUT TO 50MM LONG 49M6480	9400, 9410, 9450, 9500, 9510, 9550, 9560, 9560STS, 9570STS, 9600, 9610, 9650, 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS, CTS II, CTS, S660, S670, S680, S690, S760, S770, S780, S790
	A-AH162154 AUGER CLEAN GRAIN	CLEAN GRAIN CROSS AUGER HIGH WEAR AH162154	9450, 9550, 9560, 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS, 9880STS, S660, S670, S680, S690, S760, S770
	A-AH219339 AUGER CLEAN GRAIN	CLEAN GRAIN CROSS AUGER EXTENDED WEAR AXE59539	9770STS, 9870STS, S670, S680, S770, S780, S790
	MI-AH230013 AUGER LOADING	LOADING AUGER AH230013	9770STS, 9870STS, S660, S670, S680, S690, S760, S770
	AH233419 AUGER LOADING	LOADING AUGER BUBBLE UP GRAIN BIN 64IN X 11IN X 6MM AH233419	S660, S670, S680, S690, S780, S790
	A-AH218485 AUGER LOADING	LOADING AUGER REG CAPACITY 10IN X 57-1/8IN L AH218485	9450, 9550, 9560, 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9860STS, S660, S670, S680, S690, S760, S770
	A-AXE18070 AUGER VERTICAL UNLOAD	VERTICAL UNLOAD AUGER HIGH CAPACITY HIGH WEAR AXE18070	S660, S670, S680, S690, S760, S770, S780, S790
	A-AH164070 AUGER VERTICAL UNLOAD	VERTICAL UNLOAD AUGER HIGH WEAR 30-1/4IN LONG AH164070	9560STS, 9570STS, 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9880STS
	A-AXE12921 AUGER VERTICAL UNLOAD	VERTICAL UNLOAD AUGER EXTENDED WEAR 31-5/8IN LONG S/N < 092403 AXE12921	9660STS, 9670STS, 9760STS, 9770STS, 9860STS, 9870STS, S690

IMAGE	PART NUMBER / ITEM	DESCRIPTION /REF	APPLICATION FITMENT
	AXE56595 AUGER TUBE	LOADING AUGER TUBE EXTENDED WEAR AXE56595	S680 S690 S780 S790
	A-AH219093 AUGER TUBE	LOADING AUGER TUBE EXTENDED WEAR AH219093	9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, S660, S670, S760, S770
	EJ603517EXP AUGER EXTENDER	AUGER EXTENDER 17IN X 36IN EJ603517	9660STS, 9670STS, 9760STS, 9770STS, 9870STS, S660, S670, S680, S690
	HXE84650 AUGER DRIVE NIB	DRIVE NIB LOADING AUGER HXE84650	S660, S670, S680, S690, S760, S770, S780, S790
	DE20100 GEARBOX	GEARBOX LOADING AUGER DE20100	9400, 9410, 9450, 9500, 9510, 9550, 9560, 9560STS, 9570STS, 9600, 9610, 9650, 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS, CTS II, CTS, S660, S670, S680, S690, S760, S770, S780, S790
	A-H130137 GEAR CASE UNLOAD AUGER	VERTICAL UNLOAD AUGER GEAR CASE H130137	9400, 9410, 9450, 9500, 9510, 9550, 9560, 9560STS, 9570STS, 9600, 9610, 9650, 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS, CTS II, CTS, S660, S670, S680, S690, S760, S770, S780, S790
	N472258 SEAL GEARBOX	GEARBOX SEAL LOADING AUGER AH21815	9400, 9410, 9450, 9500, 9510, 9550, 9560, 9560STS, 9570STS, 9600, 9610, 9650, 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS, CTS II, CTS, S660, S670, S680, S690, S760, S770, S780, S790
	AH131860 SEAL GEARBOX	GEARBOX SEAL LOADING AUGER AH131860	9400, 9410, 9450, 9500, 9510, 9550, 9560, 9560STS, 9570STS, 9600, 9610, 9650, 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS, CTS II, CTS, S660, S670, S680, S690, S760, S770, S780, S790
	A-AH138426 HOUSINGS	CLEAN GRAIN ELEVATOR DOOR AH138426	9450, 9550, 9560, 9560STS, 9570STS, 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS, S660, S670, S680, S690, S760, S770, S780, S790

IMAGE	PART NUMBER / ITEM	DESCRIPTION / REF	APPLICATION FITMENT
	CMAH220915 IDLER PULLEY	PULLEY CLEAN GRAIN ELEVATOR AH220915	9770STS, 9870STS, S670, S680, S690, S770, S780, S790
	A-AH221847 IDLER PULLEY	PULLEY LOADING AUGER AH221847	9400, 9410, 9450, 9500, 9510, 9550, 9560, 9560STS, 9570STS, 9600, 9610, 9650, 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, CTS II, CTS, S660, S670, S690, S760, S770
	A-AH173040 PULLEY	PULLEY SLIP CLUTCH TAILINGS ELEVATOR DRIVE AH173040	S550, S650, S660, S760, S770, 9560STS, 9570STS, 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS, 9880STS, 9880iSTS
	WN-AXE14339 PULLEY	HALF SHEAVE CLEANING FAN DRIVE OUTER AXE14339	S550, S650, S660, S670, S680, S690, S760, S770, S780, S790, 9450, 9470, 9550, 9560, 9650, 9560STS, 9570STS, 9650CTS, 9650STS, 9660CTS, 9660STS, 9670STS, 9750STS, 9770STS, 9780CTS, 9780STS, 9880iSTS
	WN-AH233509 PULLEY	SHEAVE ASSEMBLY CLEANING FAN DRIVE INNER AH233509	S550, S650, S660, S670, S680, S690, S760, S770, S780, S790, 9450, 9470, 9550, 9560, 9650, 9560STS, 9570STS, 9650CTS, 9650STS, 9660CTS, 9660STS, 9670STS, 9750STS, 9770STS, 9780CTS, 9780STS, 9880iSTS
	H220121 SHAFT CLEAN ELEVATOR	TOP SHAFT CLEAN GRAIN ELEVATOR 35MMX 390MM H220121	9770STS, 9870STS, S670, S680, S690, S770, S780, S790
	A-AH215152 DRIVE SPROCKET	COUNTER SHAFT DRIVE 19 TOOTH AH215152	9560STS, 9570STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS, S690
	WI180 SPROCKET	RETURN & CLEAN GRAIN ELEVATOR SPROCKET CA550/557 8T X 35MM BORE H133143	9560STS, 9570STS, 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS, 9880STS, S660, S670, S680, S690, S760, S770, S780, S790
	WI181 SPROCKET	ELEVATOR SPROCKET CA550 8T X 13/16IN BORE	9450, 9550, 9560, 9560STS, 9650, 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS, 9880STS, S660, S670, S680, S690, S760, S770, S780, S790
	WI187 SPROCKET	CLEAN GRAIN ELEVATOR SPROCKET CA550 8T X 1-1/4IN BORE	6600, 6620, 7700, 7720, 8820

IMAGE	PART NUMBER / ITEM	DESCRIPTION /REF	APPLICATION FITMENT
	WI188 SPROCKET	RETURN & CLEAN ELEVATOR SPROCKET CA550 8T X 1IN BORE	6600, 6620, 7700, 7720, 8820
	WI189 SPROCKET	TAILINGS & CLEAN GRAIN ELEVATOR SPROCKET CA550 8T X 30MM BORE 54MM BOSS H177988	9400, 9410, 9500, 9510, 9550, 9560, 9570STS, 9600, 9610, 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS, CTS II, CTS, S660, S670, S680, S690, S760, S770, S780, S790
	WI191 SPROCKET	ELEVATOR SPROCKET CA550 X 8T 1-3/8IN BORE 5/16 KEY	9400, 9410, 9450, 9500, 9510, 9550, 9560, 9600, CTSII, CTS
	CMHXE35582 SPROCKET	SPROCKET TAILINGS ELEVATOR RETHRESHER DRIVE 19T X 34MM BORE HXE35582	S680, S690, S780, S790, S7 800, S7 900
	CM374 CLEAN GRAIN CHAIN	CHAIN CLEAN GRAIN ELEVATOR CA550 140 LINK INCL 35 PADDLES AH162058	9450, 9550, 9560, 9650, 9650CTS, 9660, 9660CTS, 9780CTS
	A-AXE28560 CLEAN GRAIN CHAIN	CHAIN CLEAN GRAIN ELEVATOR CA557 147 LINKS INCL 34 PADDLES AXE28560	S660, S670, S760, S770, 9470STS, 9560STS, 9570STS, 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS, 9880STS
	CM336HC CLEAN GRAIN CHAIN	CHAIN CLEAN GRAIN ELEVATOR HIGH CAPACITY 147 LINK A557 INCL 35 PADDLES AXE72667, AXE25092	S670, S680, S690, A770, S780, S790, S7 700, S7 800, S7 900
	CM336SC CLEAN GRAIN CHAIN	CHAIN CLEAN GRAIN ELEVATOR REGULAR CAPACITY A557 145 LINK 35 PADDLES AXE25091	S540, S550, S650, S660, S670, S760, S770, S7 600, S7 700
	CM675 RETURN / TAILINGS CHAIN	CHAIN TAILINGS RETURN GRAIN CA550 114 LINK INCL 19 PADDLES AH148021	S540, S550, S560, S650, S660, S670, S680, S760, S770, S780, S790, 9470STS, 9560STS, 9570STS, 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS, 9880STS, 9880iSTS, S7 600, S7 700
	CM680 RETURN / TAILINGS CHAIN	CHAIN TAILINGS RETURN GRAIN CA557 79 LINK INCL 13 PADDLES AXE10556	S680, S690, S780, S790, S7 600, S7 700, S7 800, S7 900











IMAGE	PART NUMBER / ITEM	DESCRIPTION / REF	APPLICATION FITMENT
	HPQN50C4C SPREADER MOTOR	SPREADER MOTOR AH133196	9500, 9600, CTS
	A-H215004 CHOPPER BLADE	STRAW CHOPPER BLADE FIXED STATIONARY POSITION H215004	9400, 9410, 9450, 9500, 9510, 9550, 9570STS, 9600, 9610, 9650, 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS, 9880STS, CTS II, CTS, S660, S670, S680, S690, S760, S770, S780, S790
	199-715 CHOPPER BLADE	STRAW CHOPPER BLADE KIT KXE10255	S660,S670, S680, S690, S760, S770, S780, S790
	WN-HXE15909 SPACER CHOPPER BLADE	SPACER STRAW CHOPPER BLADE (PACK OF 25) HXE15909	S650, S660, S670, S680, S690, S760, S770, S780, S790, S7 600, S7 700, S7 800, S7 900, X9 1000, X9 1100
	WN-KXE10256 CHOPPER KNIFE KIT	STRAW CHOPPER KNIFE KIT KXE10256	S660,S670, S680, S690, S760, S770, S780, S790
	XTD-H214211SS STRAW SPREADER BATT	POWERCAST DISK DEFLECTOR FULL REPLACEMENT 2MM STAINLESS H214211	9660STS, 9670STS, 9770STS, 9870STS, S660, S670, S680, S690, S760, S770, S780, S790
	XTD-H214211S STRAW SPREADER BATT	COVER FOR POLY POWERCAST DISK DEFLECTOR 1.6MM STAINLESS H214211	9660STS, 9670STS, 9770STS, 9870STS, S660, S670, S680, S690, S760, S770, S780, S790
	H222599 STRAW SPREADER DISC	POWERCAST CHAFF SPINNER LARGE H222599	9660STS, 9670STS, 9760STS, 9770STS, 9860STS, 9870STS, S660, S670, S680, S690, S760, S770, S780, S790, S7 600, S7 700, S7 800, S7 900
	XTD-H212821 STRAW SPREADER DISC	POWERCAST CHAFF SPINNER SMALL H212821	9660STS, 9670STS, 9760STS, 9770STS, 9860STS, 9870STS, S660, S670, S680, S690, S760, S770, S780, S790, S7 600, S7 700, S7 800, S7 850, S7 900
	XTDJDPCSS STRAW SPREADER DISC	POWERCAST SPINNER STAINLESS STEEL	













IMAGE	PART NUMBER / ITEM	DESCRIPTION /REF	APPLICATION FITMENT
	XTD-AH218187 CHOPPER FLOOR	CHOPPER HOUSING FLOOR FULL REPLACEMENT AH218187	9670STS, 9770STS, 9870STS
	XTD-AH218187SSP CHOPPER FLOOR	CHOPPER FLOOR WITH STAINLESS STEEL LEADING EDGE WEAR STRIP AH218187SSP	9670STS, 9770STS, 9870STS
	XTD-HXE108248LH STRAW SPREADER SHIELD	CHAFF DEFLECTORS LEFT HAND STAINLESS STEEL HXE108248	S650, S660, S670, S680, S690, S760, S770, S780, S790, S7 600, S7 700, S7 800, S7 900
	XTD-HXE108248RH STRAW SPREADER SHIELD	CHAFF DEFLECTORS RIGHT HAND STAINLESS STEEL HXE108248	S650, S660, S670, S680, S690, S760, S770, S780, S790, S7 600, S7 700, S7 800, S7 900
	XTD-H221044 COVER TAILBOARD	COVER LEFT HAND WIDE SPREAD TAILBOARD STAINLESS STEEL H221044	9670STS, 9770STS, 9870STS, S660, S670, S680, S690, S760, S770, S780, S790, S7 600, S7 700, S7 800, S7 850, S7 900
	XTD-H221045 COVER TAILBOARD	COVER RIGHT HAND WIDE SPREAD TAILBOARD STAINLESS STEEL H221045	9670STS, 9770STS, 9870STS, S660, S670, S680, S690, S760, S770, S780, S790, S7 600, S7 700, S7 800, S7 850, S7 900

IMAGE	PART NUMBER / ITEM	DESCRIPTION / REF	APPLICATION FITMENT
	<p>4-4-6141-1</p> <p><i>Pinion Yoke</i></p>	<p>PINION YOKE PRIMARY COUNTERSHAFT GEAR ASSEMBLY LARGE YOKE TYPE 1550 SERIES 1.751IN X 27 SPLINE</p>	<p>9600, 9610, 9650, 9770STS, 9870STS, 9880STS, 9880iSTS, S660, S670, S680, S690, S770, S780, S790, S7 700, S7 800, S7 900</p>
	<p>210084-2X</p> <p><i>Centre Bearing</i></p>	<p>CENTRE SUPPORT BEARING ASSEMBLY PRIMARY COUNTERSHAFT DRIVES SHAFT</p>	<p>9570STS, 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS, 9880STS, 9880iSTS, S650, S660, S670, S680, S690, S760, S770, S780, S790</p>
	<p>5-188X</p> <p><i>Universal Joint</i></p>	<p>UNIVERSAL JOINT FOR STANDARD YOKE PRIMARY COUNTER SHAFT DRIVESHAFT</p>	
	<p>5-155X</p> <p><i>Universal Joint</i></p>	<p>UNIVERSAL JOINT FOR LARGE YOKE PRIMARY COUNTER SHAFT DRIVESHAFT</p>	
	<p>5-280X</p> <p><i>Universal Joint</i></p>	<p>UNIVERSAL JOINT 1710 SERIES FEEDER HOUSE DRIVE SUIT 5 SPEED</p>	<p>9670STS, 9770STS, 9870STS</p>
	<p>5-675X</p> <p><i>Universal Joint</i></p>	<p>UNIVERSAL JOINT 1710 SERIES HALF ROUND FEEDER HOUSE DRIVE SUIT 5 SPEED</p>	<p>9670STS, 9770STS, 9870STS</p>



MOT-JDH001-10/25

MOTION

Delivering a world-class customer-first approach providing excellence and expertise in industrial products, solutions and services.

MOTION
FLUID POWER SOLUTIONS

Specialists in Fluid Power Solutions tailored to keep your equipment moving.

MOTION
ENGINEERING & SERVICES

Specialist design and engineering, manufacturing, repair and maintenance services.

Anytime. Anywhere.
Always Here.™



Find a location near you!

Scan the QR Code to find out more or visit Motion.com.au