

workbench

JANUARY – MARCH 2026

WIN

ONE OF THREE
WEBER BABY Q'S



VALUED
AT
\$399
EACH

PURCHASE **ANY** WD-40
PRODUCT TO GO INTO
THE DRAW TO WIN!!

SCAN



TO ENTER!



Starts 9:00 AM AEDT 5/1/26. Ends 9:00 PM AEDT 31/3/26. Open to AUST residents who fulfil the entry/eligibility requirements. Retain receipt. Cash customers enter at motion.com.au. Win 1 of 3 Weber Baby Q BBQ's valued at \$399. Total prize pool is \$1,197 (inc GST). Prize draw 3:00 PM AEST 9/4/26. Winners notified via email & phone by 13/4/26 and published at motion.com.au on 17/4/26. Promoter is Motion Australia Pty Ltd. ABN 32 000 143 608, 18 Worth St Chullora NSW 2190. For full T&Cs refer to motion.com.au.

SHOP ONLINE
WITH US 24/7

MOTION
Motion.com.au

CONTENTS

 3	 4	 5	 5	 5
 5	 6	 6	 7	 8
 9	 10	 11	 11	 12-13
 14	 15	 16	 17-18	



20V Lithium-Ion Grease Gun, continuous flow – 7,250psi

The 630A 20V Lithium-Ion Cordless Grease Gun is an innovative grease gun with built-in intelligence and 2 powerful batteries.

LCD display shows real time dual flow rates, grease delivered, barrel level, battery recharge and function reset.

- 450g capacity, heavy duty coupler, 3 way loading and bulk grease option
- 2 x 2.0Ah batteries and battery charger supplied



\$799

630AALM

1,000L IBC spill container

EL Series single IBC spill container, manages static spill situations for single IBCs.

- Made from high strength polyethylene
- Supplied with a sump plug for draining
- Fill capacity 1000L



\$2,390

SC60040ALM

2,000L IBC Spill Container

Manages static spill situations for two IBCs.

Made from high strength polyethylene & supplied with a sump plug for draining.

- Made from high strength polyethylene
- Supplied with a sump plug for draining
- Fill capacity 850L each



\$3,900

SC60050ALM

1/8" Quick Release Grease Gun Coupler

Works with all grease gun types: pneumatic, manual and battery. Suitable for high pressure, heavy duty greasing applications.

- Lock on and free up both hands to operate the grease gun
- No need to hold while greasing
- Eliminates hydraulic lockout



From **\$44**

A14512ALM BSP **\$44**
A14511ALM NPT **\$54**

Agricultural Grease Nipple Assortment Kit

Includes the most popular agricultural industry type grease nipples. Convenient compartmentalised refillable carry kit.

- All grease nipples are fully chromated and zinc passivated
- All grease nipples are batch tested to 8000psi (552bar)
- Kinglok® method of construction provides a leak proof fit



From **\$189**

L4675ALM 101 Piece **\$189**
L4674ALM 120 Piece **\$199**

Rewinda Series Air Hose Reel

Air hose reel with high grade impact resistant UV stabilised covers. Supplied with a Gen3 hybrid polymer hose, a speed control brake system.

- 20m x 12mm ID with 0.9m lead in hose
- Highly flexible Gen3 hybrid polymer hose hose bend restrictors ensure a long service life for your hose assemblies
- 1/2" BSPT(m) inlet/outlet connections



\$449 EA

AR1220CABALM Blue
AR1220CARALM Red



CRC Food Grade Chain Lube 340g

A special blend of mineral oil and synthetic additives, designed to keep roller drive and conveyor chains lubricated.

- NSF H1 Registered for incidental food contact
- Non-drying film effectively lubricates metal surfaces

\$29



FG03055CRC

CRC Food Grade Silicone 283g

A multi-purpose dry film silicone spray for use on food processing and handling equipment.

- NSF H1 Registered for incidental food contact
- Dry film – does not attract dust and product debris

\$22



FG03040CRC

CRC Food Grade Machine Oil 312g

A highly refined machine oil engineered to provide exceptional lubrication characteristics and high levels of wear and corrosion protection.

- NSF H1 Registered for incidental food contact
- Excellent wear protection – improved gear and bearing performance

\$26



FG03081CRC

CRC Food Grade Penetrating Oil 312g

An industrial strength, low viscosity penetrant designed to quickly loosen and free seized, bound or frozen fasteners on all food processing equipment.

- NSF H1 Registered for incidental food contact
- General, non-silicone lubricant for use on all food processing equipment

\$21



FG03086CRC

CRC Syntha-Tech Lubricant w/PTFE 311g

A non-flammable, zero VOC, unique blend of synthetic lubricants that utilises PTFE, anti-wear and extreme pressure additives to provide unparalleled lubricating performance.

- NSF H1 Registered for incidental food contact
- Long lasting blend of synthetic lubricants with anti-wear and extreme pressure additives

\$36



FG03054CRC

CRC Food Grade White Grease 283g

A high purity, high quality aluminium complex grease that provides superior lubrication and durability in many food and pharmaceutical processing applications.

- NSF H1 Registered for incidental food contact
- Excellent adhesion resists throw-off and shear breakdown

\$33



FG03038CRC

CRC Food Grade Silicone Grease 75ML

A thin non-curing silicone grease designed for sealing, lubricating and waterproofing O-rings and other rubber and plastic parts used in food processing equipment.

- Seals, lubricates, protects, insulates and waterproofs
- Safe on most rubber and plastics – will not degrade seals, gasket

\$19



FG03037CRC

CRC FG Anti-Seize & Lubricating Compound 226g

A premium quality anti-seize compound developed specifically for use in applications where incidental food contact is possible and is composed entirely of ingredients that meet NSF H1 requirements.

- NSF H1 Registered for incidental food contact
- Non-staining, odourless and tasteless
- Prevents rust and corrosion

\$32



FGSL35905CRC

CRC Multi Purpose Food Grade Grease 396g

A tenacious, white, aluminium complex grease providing superior lubrication and durability in food production and processing applications. It is designed for effective lubrication and protection of ball, roller and plain bearings that operate under high loads and temperatures and require a long grease life.

- NSF H1 Registered for incidental food contact
- Highly resistant to moisture, water and detergent – will not wash off when equipment is cleaned

\$35



FGSL35600CRC



Plastic Steel Putty (A)

Steel filled epoxy putty for general maintenance and repairs.

- For filling, rebuilding and bonding metal surfaces
- Non-shrinking and once set can be drilled, tapped, machined and painted



D10110DEV

Plastic Steel 5-Min Putty

Fast Cure steel filled epoxy putty for emergency metal repairs. Used for filling, rebuilding and bonding metal surfaces.

- Bonds to steel and many other metals, as well as concrete
- Machinable
- Setup in 5 minutes, functional cure in 1 hour



D10240DEV

Aluminium Putty (F)

Aluminium filled epoxy putty for non-rusting repairs and rebuilding of aluminum parts and equipment.

- Can be machined, drilled or tapped
- Bonds to aluminium, steel and many other metals as well as concrete



D10610DEV

Brushable Ceramic Blue

High performance ceramic filled epoxy for sealing, protecting and repairing surfaces subject to erosion, corrosion and wear.

- Provides long-lasting protection in harsh environments
- Easy to apply, self levelling
- Excellent chemical resistance



D11765DEV



Supafuff Heavy Duty Epoxy Coating

A high build, epoxy-based surface coating, suitable for industrial environments to provide protection from damage or wear caused by chemical attack, abrasion, or erosion.

- Suitable for industrial floors with heavy vehicle traffic
- Potable water approved



E992827EPI

Safe Step 100 4L

Single component, epoxy ester non-slip floor and outside surface coating designed for application in areas of heavy pedestrian traffic.

- Single component – no mixing required
- Easily applied – by brush or roller
- Excellent anti-slip properties
- Suitable for concrete, asphalt, timber and all metal surfaces



E460006EPI	Safety Yellow	\$285
E460004EPI	Light Grey	\$297
E460005EPI	Dark Grey	\$297
E460007EPI	Green	\$297



Galmet ColdGal Spray

Zinc rich coating for long term protection of steel against rust and corrosion.

- Contains 98.5% pure zinc
- Self-healing when scratched
- Fast drying, excellent adhesion and easy to apply



GGCGAGAL

Galmet DuraGal Silver

Protective coating providing the appearance of a new Duralgal® or hot-dip galvanized surface.

- Long term corrosion protection of steel
- Fast drying Silver Satin finish



GGDSAGAL

ROCOL

Rocol Flawfinder Kit

3 part crack detection kit for welded joints and engineering components during assembly or manufacturing.

- Fast positive detection of surface flaws
- Non-staining & washes off easily with water



RY642543

THORZT

HYDRATING HARD WORK

Hydration Tablets

Vitamins & Energy: Essential nutrients, including B vitamins, zinc, magnesium and vitamin C to support energy production, metabolism and relieve tiredness and fatigue.

THEV15-PU Punch
THEV15-BE Berry
THEV15-OR Orange



Hydration Shots Zero

Thorzt (natural) 99% sugar free hydration shot 50 x 3g.

- Flavours: Orange, Wild Berry, Mango Pineapple, Strawberry Watermelon and Grape



\$34



SSSFZERO

Icy Poles

Thorzt icy pole mixed pack 10 x 90ml.

- Caffeine and gluten free

\$450



ICEMIX

Hydration Shots Sugar Free

Thorzt sugar free hydration shot pack mixed flavours 50 x 3g.

- Proprietary blend of B and C group vitamins, L-Glutamine and essential Branch Chain Amino Acids

\$34



SSSFMIX

Liquid Concentration

Thorzt liquid concentrate mixed flavours carton (4 x 2L bottle).

- Proprietary electrolyte formula inc. Sodium, Potassium and Magnesium

\$110



LC20MIX



TGC Black Nitrile Disposable Gloves 100 Pack

High-performance tough nitrile gloves enhanced with Low Sweat Technology for dry comfort all day. With anti-static properties and ultimate chemical resistance.

- Ultra tough, fully textured, chemical resistant black nitrile gloves

160001 S
160002 M
160003 L
160004 XL

\$3150



Microlite Plus Nitrile Gloves 100 Pack

Designed for quick and easy donning, even with wet hands. Ideal for busy workers who frequently change gloves, especially in Food and Beverage manufacturers.

- Durable, soft nitrile technology with chemical resistance

230111 S
230112 M
230113 L
230114 XL

\$1095



Orange Rocket Xtra Grip Nitrile Gloves 50 Pack

Provides exceptional grip on oil, grease, hydrocarbons, and other slippery surfaces.

- Durable nitrile with unrivalled gripping abilities in wet, greasy & slippery environments
- Hi-vis orange colouring prevents cross-contamination and illuminates hands in low light

131042 M
131043 L
131044 XL
131045 XXL

\$1695



Komodo Mechanic's

General-purpose reusable gloves with custom nitrile palm coating for resistance to oil, fuel, battery acid, and some chemicals.

- Breathable fibres for comfort and easy flexible hand movements
- Custom chemical resistant nitrile coating durable EN388 rated fibres

630201 S
630202 M
630203 L
630204 XL
630205 XXL

\$495



Komodo Vigilant 3

Highly visible yellow gloves designed for medium-risk tasks. Tough, flexible PU coating delivers strong grip and chemical resistance, combined with high-performance hi-vis fibers for added safety.

- Perfect for light metal stamping, construction work, light-duty glass handling, and more

630501 S
630502 M
630503 L
630504 XL
630505 XXL

\$1295



Komodo Vigilant 5

Hi-vis red gloves built for high-risk tasks, offering maximum endurance and safety.

- Embedded with touchscreen capabilities
- Perfect for heavy metal stamping, plate glass handling, HVAC, pulp and paper industry, and more

630601 S
630602 M
630603 L
630604 XL
630605 XXL

\$1695





SCAN
TO LEARN
MORE

workbench



Shell Lubricants
Reseller

Shell Tellus S2 MX 68 – 20L

High performance hydraulic fluids based on Group II base oils that provide outstanding protection and performance in most manufacturing and many mobile equipment operations.

- Long Fluid Life – maintenance saving
- Outstanding wear protection
- Maintaining system efficiency
- Resists breakdown under heat or mechanical stress



300012768

Shell Tellus S2 MX 22 – 20L

High performance hydraulic fluids based on Group II base oils that provide outstanding protection and performance in most manufacturing and many mobile equipment operations.

- Long Fluid Life – maintenance saving
- Outstanding wear protection
- Maintaining system efficiency
- Resists breakdown under heat or mechanical stress



300012765

Shell Tellus S2 MX 100 – 20L

High performance hydraulic fluids based on Group II base oils that provide outstanding protection and performance in most manufacturing and many mobile equipment operations.

- Long Fluid Life – maintenance saving
- Outstanding wear protection
- Maintaining system efficiency
- Resists breakdown under heat or mechanical stress



300012788

Shell Tellus S2 MX 32 – 20L

High performance hydraulic fluids based on Group II base oils that provide outstanding protection and performance in most manufacturing and many mobile equipment operations.

- Long Fluid Life – maintenance saving
- Outstanding wear protection
- Maintaining system efficiency
- Resists breakdown under heat or mechanical stress



300012764

Shell Tellus S2 MX 46 – 20L

High performance hydraulic fluids based on Group II base oils that provide outstanding protection and performance in most manufacturing and many mobile equipment operations.

- Long Fluid Life – maintenance saving
- Outstanding wear protection
- Maintaining system efficiency
- Resists breakdown under heat or mechanical stress



310277803

Shell Tellus S2 VX 46 – 20L

High performance hydraulic fluids based on Group II base oils that provide outstanding protection and performance across a wide range of temperatures. Ideally suited to most mobile equipment and other applications subjected to a wider range of ambient or operating temperatures.

- Long Fluid Life – maintenance saving
- Outstanding wear protection
- Maintaining system efficiency
- Resists breakdown under heat or mechanical stress



300012773

Shell PANOLIN S4 HLP Synth 46

The highest performance and industry leading biodegradable saturated ester (HEES) type synthetic hydraulic fluid. First Bosch approved HEES fluid. Particularly suited for use in environmentally sensitive areas and in stationary and mobile hydraulic systems including construction, earthmoving and forestry.

- Special zinc-free additive technology
- Enhanced oil life; designed to help equipment operate without interruptions
- Outstanding TOST life of over 6000 hours (modified ASTM D943 test)



310285379

Shell PANOLIN S4 HLP Synth 68

The highest performance and industry leading biodegradable saturated ester (HEES) type synthetic hydraulic fluid. First Bosch approved HEES fluid. Particularly suited for use in environmentally sensitive areas and in stationary and mobile hydraulic systems including construction, earthmoving and forestry.

- Special zinc-free additive technology
- Enhanced oil life; designed to help equipment operate without interruptions
- Outstanding TOST life of over 6000 hours (modified ASTM D943 test)



310285379

Viva Energy Dobatex Gold

A water based, multi-purpose cleaning detergent suitable for a wide range of industrial and automotive applications including the heavy duty demands of mining equipment, oil and gas sector, marine, automotive and truck fleets through to routine janitorial cleaning.

- Multi Purpose Convenience
- Effectively removes dirt, grease and grime from all hard surfaces
- Stable foaming action allows greater penetration and more thorough cleaning.



300012792

LOCTITE®

LOCTITE® 243 Blue Medium Strength Threadlocker

- General purpose
- Medium strength
- Allows for disassembly with hand tools
- Temperature resistant up to 180°C
- Recommended on metal fasteners (M6 to M36)

\$50



243-50ML

LOCTITE® 263 Red High Strength Threadlocker

- Prevents loosening from shock and vibration
- Designed for the permanent locking and sealing of threaded fasteners
- Offers high temperature performance and oil tolerance

\$50



263-50ML

LOCTITE® 577 Thread Sealant

- Excellent chemical resistance
- Medium-strength, general purpose thread sealant for sealing metal threads
- Instant low pressure seal
- Locks connections against vibration-induced loosening and other stresses

\$29



577-50ML

LOCTITE® 638 Retaining Compound

- Bonds cylindrical fitting parts with gaps up to 0.25mm
- Cures without air between close-fitting metal surfaces
- Prevents loosening from shock or vibration
- Suitable for active metals and passive substrates
- High-temperature resistant and oil-tolerant
- Handles minor surface contaminants

\$55



638-50ML

LOCTITE® 518 Flange Sealant

- For active and inactive rigid metal flanges
- Excellent contamination tolerance
- Resists high pressure when fully cured

\$35



518-50ML

LOCTITE® SI 5900 Flange Sealant

- Low-strength, moisture-cured silicone paste.
- Ideal for stamped sheet metal covers (timing covers, oil sumps).
- Rapid skin-over time: 7-24 minutes.
- Fills gaps up to 1 mm.
- Single-component, no mixing required.

\$58



5900-300ML

LOCTITE® LB 8009 Heavy Duty Anti-Seize - Metal Free

- Operating temperature -29°C to +1,315°C
- Reliable graphite formulation
- Metal free composition suitable for stainless steel

\$58



8009-500G

LOCTITE® LB 8040 Freeze and Release

- Releases rusted and seized parts
- Instantly freezes seized and rusted parts down to -38°C
- Dismantles parts in 1-2 minutes
- Once loosened, parts remain lubricated and protected against corrosion

\$13



8040-310G

LOCTITE® EA 3463 IN

- Steel-filled, dual-component epoxy repair putty
- Easy to use and versatile.
- Suitable for temperatures from -30°C to +121°C.
- For emergency repair of tanks, pipes & castings
- Cures in 10 minutes

\$27



3463-113G



Hardy Spicer Toyota Landcruiser Heavy Duty Driveshafts

Motion Hardy Spicer builds heavy duty Toyota landcruiser driveshafts. These shafts have been developed with feedback from the mining industry. They use 50% thicker than standard driveshaft tube than OEM shaft. Our heavy duty splines have proven themselves in the field for over 20 years.

Features & Benefits of the Hardy Spicer Driveshaft

- 15% larger spline than Toyota for greater strength
- Hardycote® nylon coated spline which lasts 30% longer than steel splines
- For additional spline protection the slip assembly is covered by a rubber boot to keep the spline free from dirt, dust and water
- Shafts supplied with our HD Universal Joints
- Teflon thrust pads prevent metal on metal contact eliminating galling and reduces internal heat ensuring a long life perfect fitting joint
- Triple lip seals provide greater protection preventing contaminants entering and retaining lubrication for longer lasting protection
- Seal Shrouds provide extra protection for the seals to give the ultimate joint protection
- Custom length shafts available for modified vehicles, Inquire to our Motion Hardy Spicer service centres to meet your needs.



Toyota Landcruiser Heavy Duty Driveshafts Front

Toyota Landcruiser HZJ78, HZJ79 Front 8/1999-, HDJ78, HDJ79 Front 11/2001-6/2007, RZJ95 Front 7/1996-2000, VZJ95 Front 7/1996-2/2003, VDJ76, VDJ78, VDJ79 Front 3/2007-

HZJ79-35190HD

\$742⁵⁰

Toyota Landcruiser Heavy Duty Driveshafts Rear

Toyota Landcruiser HZJ79 Rear 8/99 ON 8/1999- HDJ79 Rear 11/2001-6/2007, FZJ79 Rear 10/1999-2/2007, VDJ79 Rear 3/2007-

HZJ79-6A260HD

\$779⁸⁵

MOLYKOTE®

Molykote Longterm W2 High Performance Grease 25kg

- Long life capability
- Prevents fretting corrosion
- Adhesion improver
- Coloured white

WATER RESISTANT

\$563



1290843

Molykote 3451 Chemical Resistant Bearing Grease 100gm

- Chemical resistance
- Good load-carrying ability
- Effective in high temperatures

LONG SERVICE LIFE

\$67



1674013

Molykote CU-7439 Plus Copper Anti-Seize Paste 1kg

- Highly adhesive paste
- Resistant to water wash out
- Semi-synthetic formulation
- Lubrication of threads pins bushes

COPPER ANTI-SEIZE

\$87




12020323

Molykote BG-20 High Speed Synthetic Grease 400gm

- Lubrication of high to very high speed roller bearings
- Suitable longterm lubrication
- Polyester base oil
- Wide temperature capabilities

HIGH SPEED

\$78



2405831

Molykote HP-300 Fluorinated Grease 500gm

- Compatible with most plastics
- Excellent stability at high temperatures
- Superior resistance to chemicals and solvents
- Minimal deterioration due to oxidation; appropriate for longterm lubrication
- Low vapor pressure (base oil)

CHEMICAL RESISTANT

\$892



4131320

Molykote 111 Compound 25kg

- Suitable for lubricant of rubber, plastics & o-rings
- Excellent water resistance
- Meets AS/NZS 4020:2018 drinking water
- Multi-use product coffee machines plumbing taps pumps control valves

NSF 51-61

\$1,916



1645293

Molykote Longterm 2 Plus E.P. High Performance Grease 5kg

- Extreme pressure & solid lubricants
- Protects against corrosion
- Longterm protection
- Adhesion promotor

LONGTERM LUBRICATION

\$172



1642812



Industrial Portable Air Conditioner

- 240V 3 Pin 10A Plug (IAC-27) 3 Pin 15A Plug (IAC-45, IAC-27)
- 2 Fan speeds
- Portable on wheels
- Adjustable cooling arms
- Overload Protection
- Automatic restart & short cycle protection
- Condensation tank - 5L (IAC-27) 8L (IAC-45) 13L (IAC-65)

IAC-27FMA	2.7KW	\$1,799
IAC-45FMA	4.5KW	\$3,499
IAC-65FMA	6.5KW	\$4,599

From **\$1,799**



HVLS Fan 240V

Engineered for demanding industrial environments, these fans deliver powerful airflow to improve worker comfort, product quality, and overall operational performance.

- Energy-saving HVLS fans in sizes 2.5m, 4m, 4.9m, and 7.3m diameter.
- Reliable permanent magnet brushless motor across all sizes.
- Durable motor with 130°C heat-resistant NdFeB magnets.
- Aerodynamic composite blades, optimised for each fan diameter.
- 15 safety features included in all 2.5m to 7.3m models.

HVLS-25FMA	2.5m	0.15kW	\$2,999
HVLS-40FMA	4m	0.42kW	\$6,599
HVLS-49FMA	4.9m	0.73kW	\$6,899
HVLS-73FMA	7.3m	1.25kW	\$8,899



From **\$2,999**

Air Cooler Port Axial

- 240V 10A Plug
- Available in 0.125, 0.28 and 1.1KW sizes
- Remote Control Included

From **\$799**



PAC125-ADCFMA	0.125KW	\$799
PAC280-AFMA	0.28KW	\$1,359
PAC1100-AFMA	1.1KW	\$2,999

Portable Evaporative Air Cooler

- 300L incorporated water tank
- 240V 3 Pin 10A Plug
- Variable fan speed
- Water level indicator
- Full-function remote control

\$4,799



PACISDFMA	Single Direction
PACIMDFMA	Multi Direction

Industrial Down Draft AX Cooler

- 240V Hardwired
- 1.1kW Motor
- Airflow - 5000L/s
- Up to 150m2 Cooling area 25L Water Tank
- Downdraft air outlet
- Low power consumption
- Variable speed
- 4 air inlets with Filters
- Remote Control & Control Panel
- Auto clean function

\$2,599



IDDAC-670FMA



Socket Set - 3/8 6PT 39pc Metric

This comprehensive 39-piece socket set includes metric, hex, torx, and spline sockets, offering versatility for a wide range of applications.

\$249



SP20216

Ratchet Set 3pc Ultra Thin Handle (Carbon EVA)

- 1/4", 3/8" & 1/2" Dr
- 72 tooth gear for 5° swing angle
- Ultra thin design - able to reach areas where standard ratchets can't

\$149



SP29349

Storage - Steel Unit 18 Drawer

- Size: 826mm (W) x 300mm (D) x 305mm (H)
- Suitable for parts storage in workshops or mobile service vehicles
- Parts bins lock securely into outer steel cabinet

\$319



SP40568

Compressor - 10hp Belt Drive 270L Tank

- Triple cylinder compressor pump with cast iron crankshaft and cylinder
- Independent 3-phase switch box operated by a single-phase relay pressure switch

\$4,199



SP50

Toolkit 293pc Metric/SAE - Custom Series 14 Drawer Black Foamed

- Dimensions: 1434 mm (W) x 560 mm (D) x 1074 mm (H)
- 1/4", 3/8", & 1/2" Dr sockets and accessories

\$2,995



SP50125X

Tool Kit 66pc 888 Series Starter Truck Box Metric

- Heavy Duty Steel Tool Box
- Hi-density EVA foam tray for spanners, sockets, and accessories
- Extra-large storage compartment

\$419



T850090

THIS IS NOT THE CLASSIC WD-40® PRODUCT



WD-40 Specialist® Penetrant

Quickly penetrates and loosens seized fixings, mechanisms, rusted nuts and bolts. Ideal for maintenance workshops when removing and repairing parts, including bearings, fasteners, fittings and screws.

- Two ways to spray – flip the straw up for hard-to-reach areas; flip the straw down to use the wide angle spray for wider coverage
- Quickly penetrates rusted and corroded parts
- Loosens seized fixings
- For use on metal, alloy, most plastics and most rubbers



\$18

21014WD

WD-40 Specialist® Silicone

Provides excellent lubrication, particularly on metal, plastic, wood and rubber. It creates a water-resistant seal to protect against moisture. It won't attract dirt and is non-staining.

- Works well on all equipment including guide rails, hoists and roller door tracks
- Prevents parts from sticking; reduces friction, wear and prevents cracking or ageing
- Two ways to spray – flip the straw up for hard-to-reach areas; flip the straw down for wider coverage
- Suitable for use in extreme temperatures -40°C to +200°C



\$13

21001WD

WD-40 Specialist® Dry Lubricant

Delivers superior performance lubrication, forming a transparent, non-sticky film that ensures your equipment and moving parts are working smoothly.

- Superior lubrication and enhanced rust protection
- Does not contain PTFE
- Dirt and dust resistant
- Two ways to spray – flip the straw up for hard-to-reach areas; flip the straw down to use the wide-angle spray for wider coverage
- Safe on multiple surfaces including most metals and plastics



\$18

21041WD

WD-40 Specialist® Lanolin

Highly effective formulation for longer term corrosion protection on metal surfaces in high humidity conditions.

- Creates a protective barrier of lanolin film which does not dry out or wash off easily with water
- Highly resistant to salt, water, acid and humidity
- Use on exposed surfaces, machinery, chassis, wheel wells, trailers, tractors and harvesting equipment



\$15

21024WD

WD-40 Specialist® White Lithium Grease

Moisture and heat-resistant lubricant. Ideal for load bearing metal-to-metal applications, reducing friction to ensure your tools and equipment keep moving smoothly.

- The thick viscosity formula provides long lasting protection against rust and corrosion
- Suitable for use in extreme temperatures -20°C to +150°C on dry film
- Ideal for use on bearings, hinges, winches, chains, motor pivot points, gear and brake mechanisms, metal parts



\$14

21002WD

WD-40 Specialist® Gel Lubricant

No-drip formula, perfect for vertical surface lubrication. Provides superior protection and long-lasting lubrication.

- 12 x longer lubrication
- Prevents rust up to one year
- For use on multiple surfaces including metal, plastic and rubber[^]
- Once applied, it withstands temperature ranges from -55°C to +200°C on dried film.
- Ideal for gears, rollers, chains and bearings



\$15

21040WD

WD-40 Multi Use Product 20L

- Soak parts to clean without disassembly
- Lubricates and protects industrial equipment
- Cleans and removes residue from moulds



\$209

62109WD

WD-40 Multi Use Product 425g

- Protects metal surfaces from corrosion by displacing moisture
- Penetrates metal bonds and frees stuck, frozen or rusted parts
- Larger Trade Size



\$13

61004WD

WD-40 Multi Use Product 4L C/W Applicator

- Penetrates components to loosen parts, stop squeaks, loosens rusted parts, cleans and protects
- Ideal for soaking
- Heavy-duty industrial size



\$67

62108WD



DOWSIL™ 786 Silicone Sealant

Mildew resistant sealant used for interior sealing applications exposed to high moisture. FDA Listing/Spec, NSF Listing/Spec.

- Sealing tubs, sinks
- Sealing plumbing fixtures, interior walls

\$1770
EA



305M786CLR 300ml Clear
305M786WHT 300ml White

DOWSIL™ 732 Premium Multi-Purpose Sealant

High performance Multi-Purpose sealant for bonding and sealing; making formed-in-place gaskets. FDA Listing/Spec, MIL Spec, NSF Listing/Spec, UL Listing/Spec.

- Sealing flashing, vents, flues, gutters, marine cabins and windows, electrical boxes
- Caulking joints in sheet metal stacks, ductwork; bonding appliance parts, signs and sign letters
- Adhering auto trim, appliance trim, name plates

From
\$1260

139ML732BLK	139ml Black	\$12.60
139ML732WHT	139ml White	\$12.60
139ML732CL	139ml Clear	\$12.60
310G732BLACK	310g Black	\$14.30
310G732WHITE	310g White	\$14.30
310G732CLEAR	310g Clear	\$14.30



DOWSIL™ 734 Flowable Sealant

To fill voids, cracks, crevices; conformal coating for connections and battery terminals.

- Coating mechanical devices
- Potting of electrical terminals
- Sealing ammunition fuses, trailers, truck cabs
- Making formed-in-place gaskets for compressors, gearboxes, pumps

\$4850



300ML734CLR

DOWSIL™ 730 FS Solvent Resistant Sealant

Bonding, sealing and caulking where resistance to fuels, oils and solvents is required.

- Assembling and repairing fuel lines and tanks
- Bonding or sealing components exposed to fuels, oils and solvents for long periods of time
- Making formed-in-place gaskets for fluid-filled distributors and transformers
- Stable and flexible from -65°C to 260°C



\$209

90ML730WHITE

DOWSIL™ 736 Heat Resistant Sealant

Sealing and bonding applications exposed to temperatures as high as 315°C. FDA Listing/Spec, MIL Spec, NSF Listing/Spec, UL Listing/Spec.

- Sealing fired heaters, flanged pipe joints, access doors, bag filters on smoke stacks
- Sealing moving oven belts, industrial ovens and boilers, plywood drying ovens, flues on gas appliances
- Bonding appliance parts, electrical and electronic equipment
- Caulking joints in sheet metal stacks, ductwork

From
\$3570

90ML736RED	90ml Red	\$35.70
300ML736	300ml Red	\$44



SILASTIC™ 747 Silicone Sealant

One part neutral sealant for bonding, sealing, caulking, and assembly for substrates where a non corrosive sealant is required.

- Sealing dissimilar metals and corrosion sensitive surfaces e.g. chrome, cement, steel and alloys
- Sealing of lock seams welds and fasteners in metal fabrication
- Caulking joints in duct work, cement surfaces and metal pipes

\$1320



310G747TRANS

DOWSIL™ 748 Non-Corrosive Sealant

Electrical sealing applications; food processing and transportation applications.

- Bonding and sealing electrical equipment, Including: power and control connections, motors, cover plates, instrument lenses, regulators, junction boxes, control panels
- Sealing refrigerator and freezer liners

\$55



300ML748WHIT

DOWSIL™ 738 Electrical Sealant

Non-flowing adhesive/sealant for corrosion sensitive electrical and electronic applications.

- One-Part, No mixing required
- Room temp cure, no ovens required
- Faster in-line processing with optional heat acceleration
- High elongation for added stress relief

From
\$4850

300ML738WHT	300ml	\$48.50
90ML738WHITE	90ml	\$54



DOWSIL™ 832 Multi-Surface Adhesive Sealant

Bonding, sealing and assembly where a non-corrosive sealant is required. Oil resistant sealant with low odour and out-gassing.

- Superior unprimed adhesion to a wide variety of substrates including ABS, PVC and polycarbonate
- Forms a flexible, long-lasting seal

\$3470



300ML832BLK



A Trusted Partnership

For over a century, Fenner and Motion have been at the forefront of the industrial landscape. Together, we deliver end-to-end power transmission solutions for mining, manufacturing, and construction, combining Fenner's cutting-edge engineering with Motion's nationwide technical and distribution support.

Tailored for Performance

Fenner's FEN Series worm gearboxes and couplings are engineered to excel in harsh industrial environments - from conveyors and crushers to OEM machinery.

Proven in the Field

Fenner's grid and gear couplings are designed to absorb shock, reduce vibration, and maintain alignment, extending component life and minimising downtime in high-torque applications.

Fenner V-Belt Drives

Fenner friction belt drives, including the reliable ULTRA PLUS range, have led the market for over a century. The new Fenner Lawn & Garden belt features a reverse-wrapped outer and low aramid cords for up to 20% higher tensile strength ideal for premium gardening machinery.

Fenner Taper Lock Bushes and Pulleys

Engineered to precise standards, Fenner taper lock pulleys made from high-grade cast iron provide durable, balanced, and efficient performance. Their four-hole bush design makes them the choice for demanding applications.

Fenner Chain Drives – Advanced Chain Technology (FACT)

Fenner Roller Chain is a product of advanced design and manufacturing innovations, reflecting centuries of roller chain evolution to deliver superior performance.

DOWNLOAD YOUR DIGITAL CATALOGUE TODAY



FENNER
L&G BELTS
BROCHURE



FENNER
ULTRA PLUS
BROCHURE




WORM
GEARBOX
CATALOGUE



GEAR
COUPLING
CATALOGUE



GRID
COUPLING
CATALOGUE



TITAN LIFTING TECHNOLOGIES

Titan Pipe Trolley 300kg

Ideal for suspending hoists or loads, and light engineering workshop applications.

- Compact construction, lightweight and easy to install
- Capacity 300kg
- Suitable for 60mm pipe beam diameter
- Complies with AS1418.2



\$179

PRICE REDUCTION!

TPT300TTN

G70 Transport Kit 8mm x 9m

Grade 70 Transport Kit, Ideal tie down applications. Not used for lifting. Other sizes and Lashings Capacities available.

- Individually Proof Tested
- C/W grab hooks on each end
- Lashing Capacity 3800kg
- Comply with AS4344



\$99

CG7G8-9TTN

G70 Chain Drag Kit 10mm x 5m

G70 Chain Drag Kit, Suitable for 4WD Recovery, towing, logging applications. Other options/ sets available.

- Individually Proof Tested
- C/W grab hook, Slip Hook & Lug Link, Lashing Capacity 6000kg
- Comply with AS4344



\$109

CG7G10-5DGK

RTD 25mm x 5m LC750kg

Colour Cartons (20pc) Ideal for Utes, Roof Racks, Trailers, Restraining motorcycles and general loads.

- 25mm x 5mm ratchet tie down fitted with hook and keeper
- Complies with AS4380

SPECIAL BULK CARTON PRICING



\$219

WRS255-CTTN

Ratchet Tie Downs with S-hooks

Ratchet tie downs S-hooks on each end for attaching to anchor points.

- Maintains tension under load, locking mechanism, suitable for utes, small transport vehicles and trailers, bikes, motorcycles, ATVs and general loads
- Complies with AS4380



From \$10

WRS254SHKSTTN	25mmx4m	Blue	\$10
WRS255SHKSTTN	25mmx5m	Blue	\$12
WRS356SHKSTTN	35mmx6m	Yellow	\$18
WRS356SHKS-BLK	35mmx6m	Black	\$19
WRS359SHKS-BLK	35mmx9m	Black	\$25

Quick Straps LC 250KG

Ratchet/Buckle straps that fasten cargo quickly.

- Quick Action
- Colour coded for different lengths
- Complies with AS4380



From \$3

TQS250-25X600	600mm	Black	\$3
TQS250-25X800	800mm	Blue	\$3.25
TQS250-25X1000	1,000mm	Red	\$3.50
TQS250-25X1200	1,200mm	Green	\$3.75
TQS250-25X1500	1,500mm	Yellow	\$4
TQS250-25X2000	2,000mm	Purple	\$4.25

Permanent Manget Lifter

Ideal for lifting materials of steel in engineering workshop environments.

- Handle Control for activation and deactivation
- V groove feature for lifting round steel or pipes
- Proof tested 2 x WLL
- Complies with AS4991



From \$275

TPML100TTN	100kg	\$275
TPML300TTN	300kg	\$495
TPML600TTN	600kg	\$875
TPML1000TTN	1,000kg	\$1,495

Tractel Tirfor Winch

Steel body and highly versatile device. Can be used in various configurations and situations, enabling work with long rope lengths. Used in construction, anchoring and general recovery.

- Suitable for lifting, pulling, and positioning loads over long distances
- Pulling capacity 800kg, 1,600kg and 3,200kg
- Complies EN13157 Standard/AS1418
- Comes with 20m of rope




From \$1,895

T-508D-18109C/W	800kg	\$1,895
T-516D-18119C/W	1.6tn	\$2,995
T-532D-18129C/W	3.2tn	\$3,795

Probst Concrete Step/Block Handle / Lifter WLL600kg

Designed for lifting concrete steps, kerb stones, L-blocks, pre-cast concrete elements.

- Automatic grab / automatic release mechanism for switching from gripping a load to releasing load WLL600kg (gripping range 50-600mm)



\$1,895

TSZ-UNI-600

INNOVATION. EXPERTISE. INMOTION

Whether you're catching up or learning something new, the Industry inMotion Magazine delivers valuable insights from Motion's experts and partners.


Catch up on past editions packed with:

- Real-world success stories
- Technical know-how from Motion experts
- Interactive articles and videos
- Informative webinars

SCAN ME



READ NOW



SUPER SPECIALS

Tough-As Motion Australia Work Mat

2.0 x 1.0m work mat.

- Chemical, stain, tear and cut resistant
- Durable, premium grade PVC outer
- Closed cell, soft high density foam inner
- Waterproof
- 5year UV warranty

NEW COLOUR AVAILABLE!



\$198^{EA}

WM-L-REDMOTION Red
WM-L-YELMOTION Yellow

Cigweld Arcmaster Blax Welding Helmet

- Viewing Area: 96mm x 40mm
- Arc Sensors: 2
- Shade Range: 4-8/9-13 + Grind
- Switching Speed: 0.2ms

NEW



\$68

WHAMXC010CIG

Yamaha EF2000iS Silent Inverter Generator

4 Stroke 2000w silent inverter Moto GP.

- Delivers maximum output with minimum effort
- Powerful, portable and sleek with many great features

WAREHOUSE CLEARANCE, LIMITED STOCK, 4 ONLY!



\$1,995

EF2000ISMGT

3M Silver Cut-Off Wheels 125mm Bucket - 100 Pack

A premium performance wheel designed to be affordable for everyday use.

- 125mm x 1mm x 22.23mm
- Featuring 3M Precision Shaped Ceramic Grain technology
- Deliver fast, smooth cutting action through pipes, tubes or flat sheets of all types of ferrous metals, stainless steels and alloys
- Bonus Solus 1000 Series Safety Eyewear included



\$199

AC019441313

FLIR Moisture Meter, MSX IR Camera & Hygrometer

Building Inspection System with Moisture Hygrometer & MSX® IR Camera.



\$1,995

WAREHOUSE CLEARANCE, LIMITED STOCK, 5 ONLY!

MR277FLI

HI Tensile GR70 Transport Chain Gold Zinc Plated

Strictly supplied as 50kg drum, 62 metres, priced per metre.

- Lashing capacity 2300kg, complies with AS/NZS 4344



From \$5.64

HITEN6MM/M 6mm \$5.64
HITEN10MM/M 10mm \$12.47
HITEN13MM/M 13mm \$19.23

Truck Load Winch - Clip On

Body only, suits TLWSTRAPX13M.

- Image for illustration purposes only
- Strap not included

CLEARANCE STOCK



\$39

TLWC/BO

Truck Load Winch Strap 50mm

Hook and keeper, suits TLWC/BO.

CLEARANCE STOCK



From \$12

TLWSTRAPX13M 50mm x 13m \$20
TLWSTRAPX11M 50mm x 11m \$18
TLWSTRAPX9M 50mm x 9m \$15
TLWSTRAPX6M 50mm x 6m \$12

WHILE STOCKS LAST

workbench

Tridon Bolt Cutter

750mm (30").



\$99

316004TDO

Toledo Master Bearing Race & Seal Driver w/ Oil Seal Remover Combo

- 18-90mm
- Includes 321085 bearing/seal driver tool & 301042 oil seal remover.



**WAREHOUSE
CLEARANCE, LIMITED
STOCK, 5 KITS ONLY!**

\$195

NBPO46TDO

Razor Multi 230 AC/DC Welder 4 In 1

Unimig's RAZOR MULTI 230 AC/DC 4-in-1 is here. MIG, High-Frequency AC and DC TIG, and STICK

- MIG, AC/DC TIG, MMA
- 100+ SYNERGIC PROGRAMS
- 5" Colour LCD Screen
- 10A/15A Compatible

\$2,095

**MODEL RUN
OUT, 6 ONLY!**



U11004K

270 Series Flaring Tool Kit - Master Kit

Quickly and accurately produces convex and double lap flares to SAE and DIN standards on automotive brake and clutch pipes.

- Tube Outside Diameter
- SAE Convex Single: 3/16", 1/4", 5/16", 3/8", 1/2", 4.75mm, 6mm, 8mm, 10mm, 12mm
- DIN Convex Single: 4.75mm
- SAE Double: 3/16", 1/4", 5/16", 3/8", 1/2", 4.75mm, 6mm, 8mm, 10mm, 12mm



\$999

027008SYK

Lincoln Electric Traditional FR Cloth Welding Jacket - 3XL



**WHILE
STOCKS LAST**

\$55

K2985-3XLLIN

Bordo Impact Twist Drill & Screwdriver Bit Set



\$79^{EA}

2206-S1BDO 32pc HEX Shank Jobber Drill Set
2206-S2BDO 23pc 2-13mm HSS HEX Jobber Set

Bordo 59 Piece Nutsetter, Screwdriver Insert and Power Bit Set

- Massive variety of screw driver tips
- The first and last set you will ever need



\$79

5400-S4BDO

3M™ Temflex™ 160 Vinyl Electrical Tape

A multi-purpose, general use grade, electrical insulating tape composed of PVC film backing coated on one side with a noncorrosive, pressure-sensitive adhesive.

- Temperature range: 0°C - 80°C
- Thickness: 0.15mm
- Marking of safety areas and equipment and phase coding.
- Primary insulation on applications up to 600V

7100374494	Black	\$1.20
7100374339	Red	\$1.20
7100374454	Blue	\$1.20
7100374484	White	\$1.20
7100374565	Yellow-Green	\$1.20
7100374341	Rainbow Pack	\$12



**From
\$120**



iMOTION®

Delivering a world-class customer-first approach providing excellence and expertise in industrial products, solutions and services.

iMOTION
FLUID POWER SOLUTIONS

Specialists in Fluid Power Solutions tailored to keep your equipment moving.

iMOTION
ENGINEERING & SERVICES

Specialist design and engineering, manufacturing, repair and maintenance services.

Anytime.Anywhere.
Always Here.™



Find a location near you!

Scan the QR Code to find out more
or visit [Motion.com.au](https://www.motion.com.au)

All prices include GST. Some items are subject to delivery charges where applicable. Product availability varies between stores and is not guaranteed. Motion Australia reserves the right to correct printing errors and omissions. Accessories shown are not included unless stated. Colours may differ from actual products.