

# 3M workbench

OCTOBER – DECEMBER 2025

**WIN**  
**ONE OF THREE**  
**\$2,000 MOTION**  
**CREDITS!**



**PURCHASE ANY 3M**  
**PRODUCT TO GO INTO**  
**THE DRAW!**



**SCAN**  
**TO ENTER!**



Starts 9:00 AM AEDT 6/10/25. Ends 9:00 PM AEDT 31/12/25. Open to AUST residents 18+ who fulfil the entry/eligibility requirements. Purchase any 3M product (cash customers must enter online at [motion.com.au](https://motion.com.au)) for your chance to win 1 of 3 \$2,000 credit back on your Motion account. Total prize pool is \$6,000 (excl GST). Prize draw 3:00 PM AEDT 16/1/26. Winners notified via email & phone and published at [motion.com.au](https://motion.com.au) by 23/1/26. Promoter is Motion Australia Pty Ltd. ABN 32 000 143 608. 18 Worth St Chullora NSW 2190. Authorised under ACT Permit No. TP 25/02030 and SA Permit No. T25/1551. For full T&Cs refer to [motion.com.au](https://motion.com.au).

**SHOP ONLINE**  
**WITH US 24/7**

**MOTION**  
Motion.com.au

# CONTENTS

 3	 3	 4	 4	 4
 5	 6	 7	 8	 8
 8	 9	 10-11	 12	 12
 12	 13	 14-15	 16	 17
 18	 19			



## Stop Seize Copper

A heavy duty, high temperature anti-seize compound that protects against seizure of metal parts.

- Outstanding anti-seize properties in conditions up to 1090°C
- Suitable for easy assembly and dismantling without seizure



**COPPER COMPOSITION**

D19020DEV

## Epoxy Putty (A) - Plastic Steel - Grey

Steel filled epoxy putty for general maintenance and repairs.

- For filling, rebuilding and bonding metal surfaces
- Non-shrinking and once set can be drilled, tapped, machined and painted



D10110DEV

## Epoxy Putty (F) - Aluminium

Aluminium filled epoxy putty for non-rusting repairs and rebuilding of aluminium parts and equipment.

- Can be machined, drilled or tapped
- Bonds to aluminium, steel and many other metals as well as concrete



D10610DEV

## Stop Seize Nickel

A heavy duty, high temperature anti-seize recommended for use with stainless steel and other alloys where a copper based anti-seize compound is unsuitable.

- Does not contain sulphur, copper, molybdenum disulphide, graphite
- Outstanding anti-seize properties in conditions up to 1400°C



**NICKLE COMPOSITION**

D19030DEV



## Galmet ColdGal Spray

Zinc rich coating for long term protection of steel against rust and corrosion.

- Contains 98.5% pure zinc
- Self-healing when scratched
- Fast drying, excellent adhesion and easy to apply



GGCGAGAL

## DuraGal Silver

Protective coating providing the appearance of a new Duragal® or hot-dip galvanized surface.

- Long term corrosion protection of steel
- Fast drying Silver Satin finish



GGDSAGAL

## RustPaint Epoxy Enamel Aerosol - Golden Yellow

An epoxy modified enamel paint specifically formulated to protect and beautify both new and old metal surfaces.

- Tough abrasion-resistant finish
- Excellent adhesion to steel



**ONE HANDED OPERATION**

GRPGYAGAL

## Ironize Rust Converter & Sealer

A fast reacting rust converter and sealer which can be applied directly to a rusty surface.

- Converts and seals rust in one easy step
- For use where it is impossible or impractical to remove rust before painting



GICS4LAL

## SprayPaint Black Gloss Aerosol

A fast-drying, high gloss steel and structural enamel paint used as a general purpose industrial finishing coat.

- Formulated to provide a tough exterior coating to protect and beautify metal surfaces
- Wide range of colours



GSPBLA350GAL

## inox®

### INOX MX8 EP Grease 450G

Premium industrial grade, extreme pressure, high temperature lithium complex PTFE grease with high resistance to water washout.

**\$19**



MX8-450GINOX

### INOX MX3FG Two Way Food Grade Lubricant 375G

NSF H1 approved, low odour lubricant with versatile Two-Way nozzle. Get a pin point stream or wide even mist for extensive coverage and accuracy.

**\$17**



MX3FG-TW375GINOX

### INOX MX3FG Food Grade Lubricant 5L

NSF H1 approved, low-odour lubricant designed for food and beverage processing.

**\$79**



MX3FG-5LINOX

### LANOX MX4 Lanolin Lubricant 300G

A heavy-duty lanolin-based lubricant that forms a tough, water-resistant barrier to protect metal surfaces in harsh industrial environments.

**\$16**



MX4-300GINOX

### INOX MX6 Food Grade Synthetic Grease 450G

Fully synthetic, NSF H1 approved, high temperature (no melt) NLGI 2 food-grade machinery grease with extreme pressure resistance and PTFE.

**\$32**



MX6-450GINOX

### INOX MX3 Original Formula Lubricant 20L

Aussie-made, anti-corrosion and anti-moisture lubricant built for everyday tough use.

**\$249**



MX3-20LINOX

## maxisafe®

### MaxiPlug Uncorded Earplugs

The MaxiPlug disposable earplug provides high noise reduction, a sealed foam surface to block debris, and soft comfort for long-term wear.

- Class 5 protection with SLC80 rating of 26dB
- Tapered design for easy fit
- Box of 200 pairs

**\$36**



HEU645

## PIP

### Vanguard G4 Powered Air Purifying Respirator (PAPR) Complete Kit

Provides advanced respiratory, eye, face, and head protection with versatile, user-friendly design.

- Lightweight, portable design
- LED display
- Smart filter monitoring
- Integrated alarm system

**\$1,325**



PRK-G4SR2P-1

### Black Shield Heavy Duty Nitrile Gloves

Disposable glove made from 100% nitrile and 6mils thickness. High puncture resistance as well as chemical resistant to incidental splash exposure.

- Low sweat technology for extended use
- Powder-free and latex-free
- Box of 100

AVAILABLE IN SIZES SMALL - 2XLARGE

**\$26**



GNB218

### Force Typhoon 8 Half Mask Respirator

Half Mask Respirator Asbestos/Silica/Dust kit with P2 filters. Offers superior low breathing resistance and incorporates a 4-point suspension harness with quick release buckles.

- Handy tub for clean storage
- Press to check filters

**\$42**



BHTOA3-OL5-UAN



### Auto Shut Off Nozzle Diesel

Auto shut off nozzle for diesel, 120L/min, 1" BSP (f) swivel.

- Automatically shuts off when back pressure occurs
- Flow rates of up to 120L/min



**\$370**

51039ALM

### Rotary Drum Pump

Heavy duty rotary drum pump with cast alloy body and antistatic hose - 18 L/min.

- Suitable for the transfer of diesel, petrols, kerosene, lube oil & machine oil
- 2" BSP bung adaptor



**\$175**

501AALM

### Oil Drum Pump Kit 205L

EL Series 3:1 oil transfer kit for low to medium viscosity oil with oil meter - 10L/min.

- Double acting pump with a differential air motor ensures smooth and constant oil delivery
- Smart design with fewer moving parts



**\$963**

O30050ALM

### Trigger Action Grease Gun

450g trigger action grease gun capable of delivering up to 1.1 grams of grease per stroke.

Designed with twin lock system seals the piston and eliminates possible dummy lubrication.

- Grease pressures of up to 8,500psi (586bar)
- Three way loading



**\$135**

660ANALM

### Grease Pump Kit

Samoa 55:1 ratio 20kg standard duty grease kit with carry handle.

- Supplied complete with 4m of grease hose
- Robust, heavy duty construction for extreme conditions



**\$1,386**

424170ALM

### Battery Operated 20L Vehicle Fluids Drum Pump

Rechargeable battery operated 20L oil drum pump.

- High impact resistant IK10 rated motor assembly resists operator misuse
- IP42 rated motor is fully & easily serviced with individual spare parts & kits readily available



**\$550**

**ONE HANDED OPERATION**

11028ALM

### Pulsarlube E Series 120cc

120cc E Series Pulsarlube single point lubricator. Reated IP68 for dust-proof and protection against water damage.

- Compact design for convenient use in confined spaces
- Transparent container and cap for easy inspection of lubricant level and dispensing intervals
- Filled with PL1 grease



**\$79**

E120/PL1PLS

### Pulsarlube M Series 250cc – main unit only

Pulsarlube M Series 250cc – main unit only (grease pouch, battery & dust cover not included).

- Connecting thread 3/8" BSP(m)
- Back light low light LCD display with push control buttons



**\$399**

M250/MAINPLS

### Pulsarlube M Series 250cc – filled with PL1 grease

Pulsarlube M Series 250cc – filled with PL1 grease.

- Connecting thread 3/8" BSP(m)
- Back light low light LCD display with push control buttons



**\$506**

M250/PL1PLS



## CRC Lectra-Clean 400g

Contains no Trichloroethylene. A unique, scientifically formulated cleaner/degreaser that is effective in most heavy duty applications.

- No flash or fire point
- Fast evaporation
- Non-Flammable

**\$28**



2018CRC

## CRC Penetr8 High Speed Penetrant 400g

Industrial strength, low viscosity lubricant and penetrant.

- Extreme penetrating action
- Specially formulated to penetrate rust, dissolve varnishes and gums
- Loosens rusted and corroded nuts, bolts, couplings and more

**\$26**



5501CRC

**HIGH SPEED PENETRANT**

## CRC Brakleen NF 500g

A heavy duty cleaner and degreaser for brake, clutch parts and general mechanical equipment.

- Non-Flammable
- Non Staining, non corrosive
- Fast evaporation
- Residue free

**\$12**



5087CRC

## CRC NF Contact Cleaner 400g

A revolutionary, technically proven, non-conductive high purity cleaning solvent.

- No flash point
- Non-Flammable
- Fast evaporation, minimises downtime associated with 'clean-in-place' cleaning methods
- Residue free, prevents harmful build-up and eliminates rinsing or wiping
- 360° Valve, ensures that all usable product is expelled from the can

**\$26<sup>50</sup>**



2017CRC

## CRC 808 Silicone 330g

An excellent mould release, eliminates squeaking and binding caused by friction.

- Clear, non-staining and odourless
- Resists moisture
- Reduces friction, wear and noise

**\$16**



3055CRC

## CRC Bio Degreaser 750ml

High performance cleaning technology that is pH neutral, safe on surfaces, users and the environment.

- Biodegradable
- Non-toxic
- Non-flammable
- Non-hazardous
- Water-based
- Industrial strength
- Safe on most materials

**\$13<sup>95</sup>**



5067CRC

## CRC 5-56 Multi-Purpose Lubricant

A superior penetrating power that breaks through rust and corrosion.

- Multi-purpose lubrication
- Stops and attacks rust
- Displaces moisture
- Stops squeaks

**From \$16**



5006CRC 1L **\$16**  
5004CRC 4L **\$39**  
5009CRC 20L **\$159**

**TOOLKIT IN A CAN**

## SmartWasher SW-33 Mobile Parts Washer – Starter Kit

SW-33 Mobile Parts Washer fits every application with its unique user-friendly design, large sink size, mobility and excellent features.

- Easy and efficient maintenance
- Compatible with SW-X1 OzyJuice

**\$4,757**



SW-33-4CRC

**NEW MODEL!**



**Shell Lubricants Reseller**

## Shell Gadus S2 V220 2 – 18KG

Designed for multi-purpose grease lubrication of rolling element, plain bearings and sliding surfaces.

- Good anti-wear and EP performance
- Improved mechanical stability
- Good resistance to water wash-out
- Good corrosion resistance characteristics

**\$248**



300011612

## Shell Gadus S3 V220C 2 – 18KG

For grease lubrication of heavy-duty bearings used in continuous casting, vibrating sieves, quarries, breakers and roller conveyors.

- Excellent mechanical stability under vibrating conditions
- Good water resistance
- Long operational life at high temperatures
- Effective corrosion protection

**\$279**



300011648

## Shell Gadus S2 V100 2 – 18KG

General-purpose grease with lithium hydroxystearate thickener, enhanced with anti-oxidant, anti-wear, and anti-rust additives.

- Reliable high temperature performance
- Good oxidation and mechanical stability
- Good corrosion resistance characteristics
- Long storage life

**\$249**



300011631

## Shell Tellus S2 MX 46 – 20L

High-performance hydraulic fluids based on Group II base oils, offering excellent protection, efficiency, and resistance to breakdown in manufacturing and mobile equipment operations.

- Long Fluid Life – maintenance saving
- Outstanding wear protection
- Maintaining system efficiency

**\$127**



310277803

## Shell Tellus S2 MX 68 – 20L

High performance hydraulic fluids based on Group II base oils that provide outstanding protection and performance in most manufacturing and many mobile equipment operations.

- Long fluid life – maintenance saving
- Outstanding wear protection
- Maintaining system efficiency

**\$127**



300012768

## Shell Rimula R4 L – 20L

High-performance engine oil with Low-SAPS additive technology, offering enhanced wear protection, deposit control, and high-temperature stability for low-emission engines under severe conditions.

- Emission systems capability
- Lower operating cost
- Outstanding wear protection

**\$129**



300012872

## Shell Corena S2 P 100 – 20L

A high quality air compressor oil designed to deliver the lubrication performance for high pressure reciprocating compressors.

- Long oil life
- Maintenance saving
- Outstanding wear protection
- Maintaining system efficiency
- Enhanced air line safety

**\$185**



300011324

## Shell Omala S2 GX 320 – 20L

Advanced synthetic heavy duty industrial gear oil offering outstanding lubrication performance under severe operating conditions.

- Long oil life – maintenance saving
- Excellent wear & corrosion protection
- Maintaining system efficiency

**\$166**



300012361

## Shell Omala S2 GX 220 – 20L

High quality extreme-pressure oils designed primarily for the lubrication of heavy duty industrial gearboxes.

- Long oil life through oxidation stability and resistance to thermal stress
- Excellent wear and micropitting protection
- Optimised water separation performance, corrosion and foam control

**\$164**



300012355

## TOOLS 4 INDUSTRY

### Industrial Work Bench Package

- Ideal for the workshop.
- 1800mm workbench with 1000kg capacity
- Adjustable height pneumatic garage stool (675-795mm)
- 3-drawer heavy-duty cabinet
- Industrial backing panel with square holes, louvre slots, and bottom & top tray shelves



\$1,089

K6005T4I

### Industrial Tool Chest & Roller Cabinet

- Ideal for workshop or DIY enthusiast.
- 3-drawer tool chest with hutch
- 7-drawer industrial roller cabinet with castors and brakes on front wheels
- Gas struts, key lockable, and ball bearing drawer slides
- Stylish satin grey finish, base corner protection, and foam drawer liners



\$769

K6028T4I

### Mobile Girder Rail Package

1 tonne capacity mobile girder rail gantry package with girder clamp.

- Ideal for removal of engines & gearboxes, or the lifting & moving of heavy items in your workshop or garage
- Chain block not included



\$999

K6043T4I

### Industrial Steel Shelving & Extension

Heavy duty steel shelving with extension, 364kg load capacity per shelf.

- 4 shelves per unit (8 total)
- Reinforced steel wire grid pattern mesh
- Silver corrosive resistant powder-coated finish



\$550

K6032T4I

### Lathe Tool Package

Includes 3MT live centre, lathe turning tool kit & professional lathe parting kit.

- High quality
- Made in Taiwan
- For 12mm maximum centre height



\$572

K6018T4I

## LANOTEC

### General Purpose Liquid Lanolin

- Lubricate tools/machines/ chains/hinges
- Frees up rusty nuts/bolts
- Drilling and cutting aid
- Corrosion protection for metal
- HACCP SS2 food grade certified



GP\PP-0300LAN



\$14

## sutton

### 25pc XP Bullet Metric Drill Set

Extreme Parabolic Flute - Optimised design provides improved chip ejection and faster drilling speeds.

- Made from HSS.
- Range: 1.0 - 13.0mm x 0.5mm rises

\$205



D220SM25SUT

### Type A Grease - 235ml

- Assembly lubricant for o-rings & seals
- Anti-seize, stops galling & electrolysis
- Lubricate linkages/bushes/hoses/pins/ tooling
- Shields electrics from moisture
- HACCP SS2 Food Grade Certified



\$17



GS\0235LAN

### 26pc Bi-Metal Cobalt Holesaw 'Mega' Set

- Made from Bi-Metal Cobalt HSS - For toughness and longer life.
- 32mm Cutting Depth.
- Range: 19-121mm

\$335



H125SG26ASUT



## 55 Pipe Sealing Cord

- General Purpose Thread Sealant
- Quick, easy and reliable seal
- Allows reliable readjustment
- Designed for sealing metal and plastic pipe fittings
- AGA Approval

**\$30**



**NEW AND IMPROVED**

**MORE SUSTAINABLE PACKAGING: PRODUCED WITH 70% POST-CONSUMER RECYCLED PLASTIC**

**INTERGRATED TRANSPARENT LID**

**NEW CERTIFICATION FOR USE WITH HYDROGEN GAS APPLICATION (GASTEC QA AR 214)**



**LEARN MORE**

55-160MNEW

## 567 Thread Sealant

Controlled Strength - High Temperature

- Temperature range -55°C to 250°C
- Provides instant low-pressure seal
- Easy to dismantle with normal hand tools
- AGA Certified
- Potable Water Approval

**\$26.50**



567-50ML

## 577 Thread Sealant

Medium Strength - High Pressure

- Recommended for coarse metal threads
- Cures on active and inactive metals
- AGA Certified
- Potable Water Approval

**\$26.50**



577-50ML

## 5770 Thread Sealant

High Strength - Ultra High Temperature

- Temperature range -55°C to 250°C
- Suitable for steam applications and threaded pipe fitting requiring continuous heat resistance

**\$66**



5770-50ML

## 569 Thread Sealant

Low Strength - Hydraulic/Pneumatec

- Recommended for fine threaded metal pipes & fittings up to 3/4 inch
- Prevents loosening and leakage due to shock and vibration
- AGA Approval

**\$44**



569-50ML

## SI 5331 Thread Sealant

Low strength

- Silicone based sealant suitable for plastic & metal fittings
- Potable water approval

**\$30**



5331-100ML

## 561 Thread Sealant

Controlled Strength (Stick)

- Semi-solid stick won't spill or leak
- Operating temperature: -55°C to 150°C (-65°F to 300°F)
- Doesn't creep, shrink or block systems
- Provides instant low pressure seal

**\$28**



561-19G



## 3M™ PROTECTA® P200 Riggers Full Body Harness

- Suspension trauma straps
- Quick connect buckles
- rear fall arrest D Rings
- Soft EZ-Link SRL adapter
- Confined space loops
- Lanyard keepers
- Certified to AS/NZS 1891.1:2020



**\$161**

7012872100

## 3M™ Versaflo™ Powered Air Turbo Starter Kit, TR-619A

- Provides essential components for powered air respiratory protection
- Protects against dust, mists, fumes, and organic vapours with appropriate filters
- Combines functionality and versatility for particles, gases, vapours, or combinations
- Compliant with AS/NZS 1716:2012 standards
- Headtop and filters are excluded and need to be purchased separately



**\$2,575**

7100168178



**LEARN MORE**

## 3M™ Versaflo™ PAPR Kit

- A lightweight respiratory protection system that includes a PAPR-P3 filter for environments with hazardous particles
- Versaflo Helmet M-307 with M-940 cap lamp bracket (lamp excluded)
- Flame-resistant faceseal provides respiratory, eye, face (AS/NZS 1337.1), and head (AS/NZS 1801) protection when connected to AS/NZS 1716 compliant air supply



**\$2,549**

7012868876

## 3M™ PROTECTA® Adjustable Shock Absorbing Webbing Lanyard

- Webbing lanyard, adjustable length from 0.75m to 2m, single tail, with 2 snap hooks
- PROTECTA shock absorbing lanyards offer high-quality, economical fall protection
- Limits fall arrest forces
- Double action, self-locking snap hooks on both ends
- Rated for 160kg user weight
- Compact energy absorber with clear cover



**\$224**

7012869842

## 3M™ Rugged Comfort Quick Latch Half Facepiece Reusable Respirator 6502QL, Medium

- Reusable respirator with quick latch drop-down mechanism provides ease in donning and doffing the respirator facepiece
- Allows lowering/raising without removing safety helmet or faceshield
- Resilient, lightly textured silicone faceseal for comfort, durability, and a firm seal
- 3M™ Cool Flow™ valve reduces breathing resistance and minimize heat build-up



**\$54**

7100018994

## PELTOR™ WS™ ALERT™ XPV MRX21A1WS7 Headset

- Bluetooth Multipoint headset with noise-cancelling microphone
- Self-charging via photovoltaic power
- Connects to a mobile app for easy setup and adjustment
- Protects against hazardous noise and enables hands-free calls in noisy environments
- Support Qualcomm aptX HD
- Music and pod mode
- SLC<sub>80</sub> 27dB (Class 5)



**\$532**

7100282733

## 3M™ GoggleGear™ Protective Goggle 3000 Series

- Full-size protective goggles with polycarbonate lenses
- Absorb 99.9% of UVA, UVB, and UVC rays (200nm–380nm)
- Treated with 3M Scotchgard Anti-Fog Protector Coating
- Shroud designed to fit over prescription eyewear and sunglasses



**\$30<sup>80</sup>**

7100325032 Red frame \$30.80  
7100325031 Black frame \$30.80

## 3M™ Protecta® Self-Retracting Lifeline 3100640

- Economical fall protection without compromising safety
- 140kg user capacity
- Robust design for longevity
- Heavy-duty thermoplastic housing for durability
- Speed-sensing brake activates in a fall, stopping it and reducing force on the user
- Web, Tri-Lok Carabiner, Snap Hook, 6ft, 1.8m



**\$235**

7100360099

## 3M™ Cubitron™ 3 Cut-Off Wheel

- Enhanced speed
- Fewer changeovers
- Long-lasting
- 3M re-engineered Precision-Shaped Grain



From **\$365**

7100304306	125mm x 1mm x 22.23mm	<b>\$3.65</b>
7100304304	125mm x 1.3mm x 22.23mm	<b>\$4.75</b>
7100303829	125mm x 1.6mm x 22.23mm	<b>\$6.21</b>
7100303999	180mm x 2mm x 22.23mm	<b>\$10.19</b>
7100303998	230mm x 2mm x 22.23mm	<b>\$10.73</b>

## 3M™ Cubitron™ 3 Depressed Center Grinding Wheel

- Enhanced speed
- Fewer changeovers
- Long-lasting
- 3M re-engineered Precision-Shaped Grain



From **\$1557**

7100303964	100mm x 6mm x 16mm	<b>\$15.57</b>
7100303983	115mm x 7mm x 22.23mm	<b>\$15.98</b>
7100303982	125mm x 7mm x 22.23mm	<b>\$16.22</b>
7100303980	180mm x 7mm x 22.23mm	<b>\$22.05</b>
7100303979	230mm x 7mm x 22.23mm	<b>\$33.54</b>

## 3M™ Cubitron™ 3 Cut and Grind Wheel

- Enhanced speed
- Rigid, reinforced, resin-bonded wheel
- Improved usability
- Long lasting



From **\$964**

7100305450	100mm x 4.2mm x 15.88mm	<b>\$9.64</b>
7100305448	125mm X 3.2mm X 22.23mm	<b>\$12.19</b>
7100305444	125mm x 4.2mm x 15.88mm	<b>\$12.68</b>
7100303972	180mm x 4.2mm x 15.88mm	<b>\$21.38</b>
7100303971	230mm x 4.2mm x 15.88mm	<b>\$31.77</b>

## 3M™ Cubitron™ 3 Fibre Disc 1182C

- Significant advancement in speed, stock removal and life
- Built tough for high-pressure grinding
- Cool cutting
- Improve productivity



From **\$428**

7100309905	100mm x 16mm	<b>\$4.28</b>
7100308530	115mm x 22mm	<b>\$4.80</b>
7100308531	125mm x 22mm	<b>\$5.36</b>
7100309794	180mm x 22mm	<b>\$9.80</b>

## 3M™ Cubitron™ 3 Fibre Disc 1187C

- Significant advancement in speed, stock removal and life
- Built tough for high-pressure grinding
- Cool cutting
- Improve productivity



From **\$470**

7100309798	100mm x 16mm	<b>\$4.70</b>
7100309789	115mm x 22mm	<b>\$5.27</b>
7100310794	125mm x 22mm	<b>\$5.62</b>
7100309795	180mm x 22mm	<b>\$10.49</b>

## 3M™ Nuisance Organic Vapour Respirator 9913, GP1, 90 ea/Case

- Suitable for mining, weed spraying, waste sorting, and more
- Lightweight, effective, comfortable, and hygienic protection
- Activated carbon layer filters nuisance\* organic vapours
- Nuisance levels are those under the Workplace Exposure Standards (WES)



**\$91**

15 PACK

7000008673

## 3M™ Temflex™ 160 Vinyl Electrical Tape

A multi-purpose, general use grade, electrical insulating tape composed of PVC film backing coated on one side with a noncorrosive, pressure-sensitive adhesive.

- Temperature range: 0°C - 80°C
- Thickness: 0.15mm
- Marking of safety areas and equipment and phase coding.
- Primary insulation on applications up to 600V

7100374494	Black	<b>\$1.20</b>
7100374339	Red	<b>\$1.20</b>
7100374454	Blue	<b>\$1.20</b>
7100374484	White	<b>\$1.20</b>
7100374565	Yellow-Green	<b>\$1.20</b>
7100374341	Rainbow Pack	<b>\$12</b>



From **\$120**



## LED Magbase Work Light

- SMD LED Magbase
- Super brilliant, 250% brighter
- Lithium-ion Rechargeable
- Pivoting Mag-Base 180DEG
- 2 Hanging Hooks
- AC Charger and 12V Car Charger

**\$99**



SP81456

## Pen Light USB Rechargeable

The ultimate worklight when you're on the move. Keep your other devices charged with our convenient power bank feature.

- High setting: 1.5H Low setting: 3.5H
- 600mAh Li-Ion battery 144mm
- Drop resistant

**\$94**



SP81434

## COB Compact Pocket Worklight

- 3 Setting COB LED Worklight: 100/350/700 Lumen
- Battery Type: Lithium-ion (Low/Med/High)
- Run time: 13/4/2 Hours (Low/Med/High)
- Rechargeable
- USB Charging System
- Strong Magnetic Base
- Battery: 3.7v/2600mA
- 1m USB Charging Cable
- 360° Swivel Join

**\$94**



SP81448

## Air Tool – Impact Wrench 1/2"DR Stubby

Ideal for mechanical workshops

- 93mm Head (including anvil)
- Perfect for hard to reach and confined areas
- Single dog hammer mechanism
- 3 torque settings
- Forward/reverse
- Handle exhaust

**\$225**



SP-1142

## Air Tool – Impact Wrench 1/2"DR

Ideal for the automotive and tyre industry.

- Twin hammer mechanism
- Super fast, high power 7 vane motor
- Forward/reverse
- Air Inlet Size: 1/4
- Bolt Busting Torque: 1,800Nm | 1,330ft-lbs
- Max Torque: 1,110Nm | 820ft-lbs
- Working Torque: 881Nm | 650ft-lbs

**\$299**



SP9840

## Air Tool – Impact Wrench 3/4"DR

Ideal for the trucking and tyre industry as well as industrial applications

- Air consumption: 198L/min | 7.0CFM
- Twin hammer mechanism
- High power 6 vane motor
- Bolt Busting Torque: 3,450Nm | 2,550ft-lbs
- Max Torque: 2,092Nm | 1,550ft-lbs
- Working Torque: 1,687Nm | 1,250ft-lbs

**\$895**



SP9855

# Starrett®

## Starrett 11 Piece Professional Knife Set

Starrett's most popular chef, fisherman and butcher's knife set.

- Includes 8 knives, sharpening steel and double grit stone
- Full traceability with commercial certification

**\$129**



BKK-11WLS

# JETWAVE®

## Black GS 3400psi 9.5 L/PM

Petrol Cold Water High Pressure Cleaner

- Powered by Honda™ GS190 (Direct Drive) | 2 Year Warranty
- Includes 8m hose + gun & lance + 5 snap on nozzles + chem pick up

**BONUS TURBO HEAD FOR INCREASED PRESSURE**



**\$1,499**

CW3400-9.5P

POWERED BY HONDA.



## Starrett 4"/100mm Electronic Caliper

- Light easy to use compact electronic caliper measuring in metric/imperial/fractions
- Hardened stainless steel body with IP54 ingress protection. Supplied in protective EVA case

**NEW PRODUCT ALERT**

**\$108<sup>90</sup>**



EC799AF-4/100LS

## Black GX 4000psi 13.5 L/PM

Petrol Cold Water High Pressure Cleaner

- Powered by Honda™ GX270 (Direct Drive) | 3 Year Warranty
- Includes 15m hose + gun & lance + 5 snap on nozzles + chem pick up

**BONUS TURBO HEAD FOR INCREASED PRESSURE**



**\$2,899**

CW4000-13.5P

POWERED BY HONDA.



## MOLYKOTE®

### Molykote 3451 Chemical Resistant Bearing Grease 100gm

- Chemical resistance
- Good load-carrying ability
- Effective in high temperatures



**\$67**

**LONG SERVICE LIFE**

1674013

### Molykote HP-300 Fluorinated Grease 500gm

- Compatible with most plastics
- Excellent stability at high temperatures
- Superior resistance to chemicals and solvents
- Minimal deterioration due to oxidation; appropriate for longterm lubrication
- Low vapor pressure (base oil)

**\$892**

**CHEMICAL RESISTANT**

4131320



### Molykote Longterm W2 High Performance Grease 25kg

- Long life capability
- Prevents fretting corrosion
- Adhesion improver
- Coloured white

**\$563**

**WATER RESISTANT**

1290843



### Molykote 111 Compound 25kg

- Suitable for lubricant of rubber, plastics & o'rings
- Excellent water resistance
- Meets AS/NZS 4020:2018 drinking water
- Multi-use product coffee machines plumbing taps pumps control valves

**\$1,916**

**NSF 51-61**

1645293



### Molykote BG-20 High Speed Synthetic Grease 400gm

- Lubrication of high to very high speed roller bearings
- Suitable longterm lubrication
- Polyester base oil
- Wide temperature capabilities

**\$78**

**HIGH SPEED**

2405831



### Molykote Longterm 2 Plus E.P. High Performance Grease 5kg

- Extreme pressure & solid lubricants
- Protects against corrosion
- Longterm protection
- Adhesion promotor

**\$172**

**LONGTERM LUBRICATION**

1642812



### Molykote CU-7439 Plus Copper Anti-Seize Paste 1kg

- Highly adhesive paste
- Resistant to water wash out
- Semi-synthetic formulation
- Lubrication of threads pins bushes

**\$87**

**COPPER ANTI-SEIZE**

12020323




### Molykote G-4700 Extreme Pressure Synthetic Grease

- Wide service-temperature range
- Compatible with many plastics and elastomers
- Meets Cincinnati Machine P-64 and NLGI GC-LB
- Fully synthetic base oil
- No intentional polytetrafluoroethylene (PTFE) or polyfluoroalkyl substances (PFAS)

**\$56**

**EXTREME PRESSURE**

4118360




### Molykote G-4500 FM Multi-Purpose Synthetic Grease

- Wide service-temperature range Compatible with many plastics and elastomers
- Meet FDA Regulation 21 CFR 178.3570 and USDA H1 classifications for incidental food contact
- Fully synthetic base oil
- White color
- Available in NLGI consistency classes 2

**\$42**

**FOOD GRADE**

4116796





## Titan Chain Block

Lifting capacity up to 10t. Longer HOL upon request. Over load protection mechanism.

- Fitted with safety overload protection mechanism which will not allow the chain block to operate if overloaded
- Suitable for all applications – high and light end industries
- Load chain alloy grade 80 in accordance with ISO 3077 and EN 818.7 Standards.
- Proof tested 1.5 x WLL
- Complies with AS/NZS1418, including all world standards
- Reliable and durable to withstand high usage, serviceable and spare parts available



From **\$199**

TCB005LS30TTN	500kg	3m	<b>\$199</b>
TCB010LS30TTN	1t	3m	<b>\$249</b>
TCB020LS30TTN	2t	3m	<b>\$349</b>
TCB030LS30TTN	3t	3m	<b>\$399</b>

## Titan Lever Hoist

Lifting capacity up to 9t available. Longer HOL upon request. Over load protection mechanism.

- Fitted with safety overload protection mechanism which will not allow the lever block to operate if overloaded
- Suitable for all applications – high and light end industries
- Load chain alloy grade 80 in accordance with ISO 3077 and EN 818.7 Standards.
- Proof tested 1.5 x WLL
- Complies with AS/NZS1418, including all world standards
- Reliable and durable of withstand high usage, serviceable and spare parts available



From **\$219**

TLH05LS15TTN	500kg	1.5m	<b>\$219</b>
TLH075LS15TTN	750kg	1.5m	<b>\$259</b>
TLH015LS15TTN	1.5t	1.5m	<b>\$349</b>
TLH030LS15TTN	3t	1.5m	<b>\$449</b>

## Hand Brake Winch Powder Coat Yellow

- 3 Capacities available for Pulling/Lifting
- Yellow powder coated finish
- Compact design
- Automatic breaking system
- Suitable for general workshop applications
- Complies with AS/NZS 1418.2
- Comes without rope
- NB: Can be fitted with wire rope at an additional charge



From **\$99**

THBW545/270TTN	545/270kg	<b>\$99</b>
THBW820/410TTN	820/410kg	<b>\$189</b>
THBW1200/600TTN	1200/600kg	<b>\$219</b>

## Hand Brake Winch Stainless Steel

- 3 Capacities available for Pulling/Lifting
- Stainless grade 304
- Compact design
- Automatic breaking system
- Complies with AS/NZS 1418.2
- Comes without rope
- NB: Can be fitted with wire rope at an additional charge
- Suitable for general workshop applications



From **\$339**

THBW545/270SS	545/270kg	<b>\$339</b>
THBW820/410SS	820/410kg	<b>\$629</b>
THBW1200/600SS	1200/600kg	<b>\$729</b>

## G80 Weld On D Ring

- Used as a fixed anchor point for spreader beam/ load restraint applications
- Fitted with spring for pivoting
- 100% Magnaflux crack detection
- Welding to any carbon steel surfaces as a lifting point
- Complies with AS3776/EN1677
- Welding Instructions provided
- Welding must be carried out by a qualified welder
- NB: Other capacities also available



From **\$14**

T344WODR-1TTN	1t lifting	2t pulling	<b>\$14</b>
T344WODR-2TTN	2t lifting	4t pulling	<b>\$24</b>
T344WODR-3TTN	3t lifting	6t pulling	<b>\$29</b>
T344WODR-5TTN	5t lifting	10t pulling	<b>\$34</b>

## G80 Weld On Hook

- Used as a fixed anchor point for general lifting applications
- 100% Magnaflux crack detection
- Welding to any carbon steel surfaces
- Complies with AS3776/EN1677
- Welding Instructions provided
- Welding must be carried out by a qualified welder
- NB: Other capacities also available



From **\$19**

T106WOH-1TTN	1.1t	<b>\$19</b>
T106WOH-2TTN	2t	<b>\$24</b>
T106WOH-3.2TTN	3.2t	<b>\$29</b>
T106WOH-5.3TTN	5.3t	<b>\$49</b>

## Winch Loadbrake 500kg

- Heavy duty and compact design
- Suits wide range of lifting purposes
- Used in vertical or horizontal position – wall or floor mounted
- Loadbrake automatically suspends the load when handle winding ceases
- Complies with AS/NZ 1418



**\$599**

WILB005TTN

## Forged Eye Tow Hook LC2500kg

- Pulling/Lashing capacity 2.5t
- Batch marked for traceability
- Complies with AS4344



**\$35**

FTH-025TTN

## Ratchet Loadbinder RED

Ratchet type load binder for load restraint.

- Available in red or yellow
- With windout/runout safety stop pin
- Batch marked for traceability
- Fitted with cradle (wing) grab hooks
- Complies with AS/NZS 4344 transport standard



From **\$39**

HTLBRCG6RTTN	6mm	\$39
HTLBRCG8RTTN	8mm	\$59
HTLBRCG8-10TTN	8-10mm	\$69
HTLBRCG13RTTN	13mm	\$89

## Grade S Bow Shackle

- Suitable for all lifting applications in industries such as mining, construction, general workshops
- Finish: HDG
- Batch tested as per ISO9000
- Batch Marked for traceability
- Comply with AS2741
- NB: Other capacities available including safety bow shackles, dee shackle type

From **\$3**



SSB010TTN	1t	\$3
SSB015TTN	1.5t	\$4
SSB020TTN	2t	\$6
SSB032TTN	3.25t	\$10
SSB047TTN	4.7t	\$14
SSB065TTN	6.5t	\$19

## Off Road Block 125mm

- Pulling Capacity 8t
- Wire Rope dia. 11mm
- Sheave size: 125mm
- Fitted with grease nipple



**\$49**

ORB125TTN

## Titan Flat Webbing Synthetic Slings

Lifting heavy equipment, light and versatile. Suitable for wide range of lift capacities and various lengths avail upon request. Suitable for fragile components.

- 100% polyester
- Super strong
- Double thickness (2 PLY)
- Colour coded
- WLL clearly marked on each sling
- Comply with AS1353



From **\$5**

WSF0110STTN	Purple	1t x 1m	\$5
WSF0330STTN	Yellow	3t x 3m	\$29
WSF0220STTN	Green	2t x 2m	\$36
WSF0420STTN	Grey	4t x 2m	\$25
WSF0540STTN	Red	5t x 4m	\$64

## Titan Endless Round Synthetic Slings

Soft, light and versatile. Suitable for wide range of lift capacities and various lengths avail upon request.

- 100% high quality polyester
- Double outer sleeve
- Semi-concealed data tag for protection
- Additional tag for recording custom data
- Comply to AS4497



From **\$5**

RSO110STTN	Purple	1t x 1m	\$5
RSO220STTN	Green	2t x 2m	\$15
RSO330STTN	Yellow	3t x 3m	\$25
RSO450STTN	Grey	4t x 5m	\$64
RSO540STTN	Red	5t x 4m	\$59

## Snatch Block

Used in mining, construction, off shore rigging and heavy duty lifting applications.

- Removable side panel for easy wire rope installation
- Comply with AS2089



From **\$129**

TSB2T75TTN	2t	75mm	\$129
TSB4T150TTN	4t	150mm	\$219
TSB8T200TTN	8t	200mm	\$349
TSB12T300TTN	12t	300mm	\$899
TSB15T300TTN	15t	300mm	\$1,195

## Titan G80 Chain Lifting Sling

High Quality G80 chain slings. Heavy Lifting Equipment, wide range of lifting purposes, available in other sizes, custom build available upon request.

- Manufactured, tested, tagged & certified in Australia
- Complies with AS3775
- Packaged in Strong Pails



From **\$379**

TG8CS6-2L2M335	6mm	\$379
TG8CS8-2L2M335	8mm	\$395
TG8CS10-2L2M335	10mm	\$479
TG8CS13-2L2M335	13mm	\$629

## Titan G100 Chain Lifting Sling

High Quality G100 chain slings. Heavy Lifting Equipment, wide range of lifting purposes, Other sizes Available, custom build available upon request.

- Rated higher than other chain size capacity
- Manufactured, tested, tagged & certified in Australia
- Complies with AS3775
- Packaged in strong pails



From **\$399**

TG10CS62L2MTTN	6mm	\$399
TG10CS82L2MCSL	8mm	\$429
TG10CS102L2MCSL	10mm	\$509
TG10CS132L2MCSL	13mm	\$699



## DOWSIL™ 786 Silicone Sealant

Mildew resistant sealant used for interior sealing applications exposed to high moisture. FDA Listing/Spec, NSF Listing/Spec.

- Sealing tubs, sinks
- Sealing plumbing fixtures, interior walls

**\$1680**  
EA



305M786CLR 300ml Clear  
305M786WHT 300ml White

## DOWSIL™ 732 Premium Multi-Purpose Sealant

High performance Multi-Purpose sealant for bonding and sealing; making formed-in-place gaskets. FDA Listing/Spec, MIL Spec, NSF Listing/Spec, UL Listing/Spec.

- Sealing flashing, vents, flues, gutters, marine cabins and windows, electrical boxes
- Caulking joints in sheet metal stacks, ductwork; bonding appliance parts, signs and sign letters
- Adhering auto trim, appliance trim, name plates

From **\$12**



139ML732BLK	139ml Black	<b>\$12</b>
139ML732WHT	139ml White	<b>\$12</b>
139ML732CL	139ml Clear	<b>\$12</b>
310G732BLACK	310g Black	<b>\$13.60</b>
310G732WHITE	310g White	<b>\$13.60</b>
310G732CLEAR	310g Clear	<b>\$13.60</b>

## DOWSIL™ 734 Flowable Sealant

To fill voids, cracks, crevices; conformal coating for connections and battery terminals.

- Coating mechanical devices
- Potting of electrical terminals
- Sealing ammunition fuses, trailers, truck cabs
- Making formed-in-place gaskets for compressors, gearboxes, pumps

**\$4620**



300ML734CLR

## DOWSIL™ 730 FS Solvent Resistant Sealant

Bonding, sealing and caulking where resistance to fuels, oils and solvents is required.

- Assembling and repairing fuel lines and tanks
- Bonding or sealing components exposed to fuels, oils and solvents for long periods of time
- Making formed-in-place gaskets for fluid-filled distributors and transformers
- Stable and flexible from -65°C to 260°C



**\$199**

90ML730WHITE

## DOWSIL™ 736 Heat Resistant Sealant

Sealing and bonding applications exposed to temperatures as high as 315°C. FDA Listing/Spec, MIL Spec, NSF Listing/Spec, UL Listing/Spec.

- Sealing fired heaters, flanged pipe joints, access doors, bag filters on smoke stacks
- Sealing moving oven belts, industrial ovens and boilers, plywood drying ovens, flues on gas appliances
- Bonding appliance parts, electrical and electronic equipment
- Caulking joints in sheet metal stacks, ductwork

From **\$34**



90ML736RED	90ml Red	<b>\$34</b>
300ML736	300ml Red	<b>\$42</b>

## SILASTIC™ 747 Silicone Sealant

One part neutral sealant for bonding, sealing, caulking, and assembly for substrates where a non corrosive sealant is required.

- Sealing dissimilar metals and corrosion sensitive surfaces e.g. chrome, cement, steel and alloys
- Sealing of lock seams welds and fasteners in metal fabrication
- Caulking joints in duct work, cement surfaces and metal pipes

**\$1260**  
EA



310G747TRANS	310g Translucent
310G747BLACK	310g Black
310G747WHITE	310g White

## DOWSIL™ 748 Non-Corrosive Sealant

Electrical sealing applications; food processing and transportation applications.

- Bonding and sealing electrical equipment, Including: power and control connections, motors, cover plates, instrument lenses, regulators, junction boxes, control panels
- Sealing refrigerator and freezer liners

**\$5250**



300ML748WHT

## DOWSIL™ 738 Electrical Sealant

Non-flowing adhesive/sealant for corrosion sensitive electrical and electronic applications.

- One-Part, No mixing required
- Room temp cure, no ovens required
- Faster in-line processing with optional heat acceleration
- High elongation for added stress relief

From **\$4620**



300ML738WHT	300ml	<b>\$46.20</b>
90ML738WHITE	90ml	<b>\$51.50</b>

## DOWSIL™ 832 Multi-Surface Adhesive Sealant

Bonding, sealing and assembly where a non-corrosive sealant is required. Oil resistant sealant with low odour and out-gassing.

- Superior unprimed adhesion to a wide variety of substrates including ABS, PVC and polycarbonate
- Forms a flexible, long-lasting seal

**\$33**



300ML832BLK



### Hardy Spicer Automotive, 4WD & Light Commercial Vehicle Drive Shafts

Motion (Hardy Spicer) offers a wide range of complete driveshafts for the automotive, light commercial, and 4WD vehicle markets in Australia.

Over 300 shafts are catalogued, with the range growing every month. We stock a huge range locally and can source many of the less popular vehicles from our manufacturers worldwide.

Give your local Motion Hardy Spicer branch a call for availability and competitive pricing for your requirements. If not currently available, our service centres can provide a quote to recondition your own shaft.

See a small sample of the driveshafts available below.



TOYOTA		
TOY-110003	Landcruiser HZJ78, HZJ79 Front 8/1999-, HDJ78, HDJ79 Front 11/2001-6/2007, RZJ95 Front 7/1996-2000, VZJ95 Front 7/1996-2/2003, VDJ76, VDJ78, VDJ79 Front 3/2007-	\$363
TOY-120002	Landcruiser HZJ78 4.2L Man 4WD Rear Driveshaft 8/1999-2/2007, HDJ78 4.2L Man 4WD Rear Driveshaft 11/2001-2/2007, VDJ78 4.5L Man 4WD Rear Driveshaft 3/2007-, VDJL78 4.5L Man 4WD Rear Driveshaft 9/2022-	\$379.50
TOY-120005	Landcruiser HZJ79 REAR 8/99 ON 8/1999- HDJ79 Rear 11/2001-6/2007, FZJ79 Rear 10/1999-2/2007, VDJ79 Rear 3/2007-	\$379.50
TOY-110020	Hilux Front Shaft KUN26 Man 2/2005-, GUN125 Man 10/2015-, GUN126 Man 10/2015-, GGN25 Auto 3/2005-9/2015, Fortuner GUN156 Man 11/2015-	\$347.60
TOY-220032	Hilux KUN26 4WD 3.0L (1KDFTV) 5 Speed Auto 2 And 4 Door Utility, Wellside 8/2012-4/2015 Rear 2-Pce Shaft	\$638
TOY-220027	Hilux 4WD GUN125 2.4L, GUN126 2.8L Diesel Manual Rear 2-Pce Shaft 10/2015 -	\$737
LANDROVER		
LR-110015	Landrover Defender TD5 Front Shaft 2002-2006	\$232.10
LR-220014	Range Rover L322 Rear Shaft 2002-2006	\$610.50
LR-220017	Range Rover Supercharged 3.0L and 5.0L 2PC SHAFT, Range Rover Sport Supercharged 3.0L and 5.0L 2-Pce Shaft 2013-2019	\$610.50
LR-320013	Freelander 2 Rear 3-Pce Shaft 2010-2014	\$665.50
SUBARU		
SUB-220009	Subara Outback AWD 2.5L 4 Speed Auto BP9 9/2003-8/2009 Rear 2-Pce Shaft	\$632.50
FORD/MAZDA		
FD-110029	Ford Ranger 2.2L and 3.2L PX 4WD 2011 - 6/2022 / Mazda BT-50 4WD , Ford Everest Front D/Shaft	\$369.60
FD-220023	Ford PX Ranger, Mazda BT-50 4WD 2-Pce Rear Shaft 10/2011-	\$566.50
FD-220031	Ford Ranger PX 2WD 2.2L, 3.2L AUTO 4 Door Dual Cab incl HI-Rider 9/2011- And 2 Door Tray Back 8/2015-. Mazda BT-50 2WD Auto 2-Pce Rear Shaft	\$566.50
FD-220032	Ford Ranger PX 2.2L Manual 2WD, Mazda BT-50 2WD Manual 2-Pce Rear Shaft	\$566.50
FD-220026	Ford Ranger PJ, PK 4WD 2005-2011, Mazda BT-50 4WD 2005-2011 2-Pce Rear Shaft	\$566.50
VOLKSWAGEN		
VAG-220003	VW Amarok 4WD 4CYL Dual Cab Rear 2-Pce Driveshaft 2010-2020 , Amarok TDI420 2.0L (CSHA) Auto 4WD 7/2012-6/2022, Amarok TDI550 3.0L (DDXC) 4WD Auto 9/2016 ON, Amarok TDI580 3.0L (DDXE) Auto 4WD 9/2018 ON, Amarok TDI500 Core 3.0L (DDXC) Manual 4WD 7/2019 ON	\$566.50
NISSAN		
NI-220003	Nissan XTrail Rear 2-Pce Shaft T31 Petrol & Diesel 2007-2011 / T31 Diesel Man and Auto 6/2008-	\$566.50



## Louvred Wall Exhaust Fan

- 240V Hardwired
- Gravity louvres to stop rain & reverse airflow
- Perfect for workshops & garages



From **\$169**

*IWEL200FMA* 200mm **\$169**  
*IWEL300FMA* 300mm **\$209**  
*IWEL400FMA* 400mm **\$299**

## Industrial Fume Arm 160mm 2mtrs 415v

Suitable for purification of fume and dust that is generated in all kinds of welding, grinding and other areas.

- 415V Hardwired
- 2m flexible arm / 160mm Diameter
- Easy & silent operation
- Robust design
- Fume arm and suction tube made from flame-retardant material
- Effectively captures fumes, smoke, and dust



From **\$4,998**

*IFA2-160-2FMA*

## Industrial Portable Fume Collector

Suitable for purification of fume and dust that is generated in all kinds of welding, grinding and other areas.

- 240V
- 3 Pin 10A Plug



From **\$3,999**

*IPFC-075FMA* 0.75kW **\$3,999**  
*IPFC-15FMA* 1.5kW **\$9,999**  
*PFC-30FMA* 3kW **\$11,999**

## 240V Industrial Dehumidifiers

The IPD Industrial Dehumidifiers are high-capacity dehumidifiers designed to combat water damage, moisture, mould problems, and humidity control across commercial and industrial sectors.

- 240V 3 Pin 10A
- Capacity: 120L/Day 5L/Hr (IPD-120) 180L/Day 7.5L/Hr (IPD-180)
- Digital controller
- Timer function
- Automatic restart
- Portable on wheels
- Self-diagnostic function
- Built-in high capacity automatic drainage pump



From **\$4,299**

*IPD-120FMA* 120L **\$4,299**  
*IPD-180FMA* 180L **\$6,999**

## Galvanised Louvred Fan

- 415V Hardwired
- Airflow L/s: 9000 (IGLF950) 12,500 (IGLF1250) Built to last
- Extracts large volumes of air
- Easy to install
- Belt driven motor
- Quiet operation
- Louvres stop reverse air flow and weather when not on



From **\$1,799**

*IGLF950FMA* 900mm **\$1,799**  
*IGLF1250* 1250mm **\$2,499**

## Industrial Roof Exhaust Fans

An industrial-grade axial exhaust fan designed for efficient general ventilation in commercial and industrial buildings.

- 415V Hardwired
- Steel base & body
- Weather-tight hood



From **\$1,699**

*IHR4-550-4-3FMA* 400mm 0.55kW **\$1,699**  
*IHR6-22-4-3FMA* 600mm 2.2kW **\$2,859**

## HVLS Fan 240V

Engineered for demanding industrial environments, these fans deliver powerful airflow to improve worker comfort, product quality, and overall operational performance.

- Energy-saving HVLS fans in sizes 2.5m, 4m, 4.9m, and 7.3m diameter.
- Reliable permanent magnet brushless motor across all sizes.
- Durable motor with 130°C heat-resistant NdFeB magnets.
- Aerodynamic composite blades, optimised for each fan diameter.
- 15 safety features included in all 2.5m to 7.3m models.



From **\$2,999**

*HVLS-25FMA* 2.5m 0.15kW **\$2,999**  
*HVLS-40FMA* 4m 0.42kW **\$6,599**  
*HVLS-49FMA* 4.9m 0.73kW **\$6,899**  
*HVLS-73FMA* 7.3m 1.25kW **\$8,999**

## In-Line Duct Fan 240V

Constructed from high-quality galvanised steel, the casing is built to withstand the rigours of various environments, making them ideal for residential, commercial, and industrial settings.

- Durable galvanised steel casing
- High-efficiency EC motors (energy saving)
- Quiet operation
- Versatile applications (residential, commercial, industrial)
- Compact design
- Easy installation and maintenance



From **\$279**

*IDF-100EFMA* 100mm 0.35kW **\$279**  
*IDF-120EFMA* 120mm 0.35kW **\$299**  
*IDF-150EFMA* 150mm 0.37kW **\$309**  
*IDF-160EFMA* 160mm 0.37kW **\$319**  
*IDF-200EFMA* 200mm 0.89kW **\$349**  
*IDF-250EFMA* 250mm 0.93kW **\$369**  
*IDF-310EFMA* 310mm 0.98kW **\$389**

WHILE STOCKS LAST

# SUPER SPECIALS

## Bordo Impact Twist Drill & Screwdriver Bit Set

**\$99** EA



2206-S1BDO 32pc HEX Shank Jobber Drill Set  
2206-S2BDO 23pc 2-13mm HSS HEX Jobber Set

## Bordo 59 Piece Nutsetter, Screwdriver Insert and Power Bit Set

- Massive variety of screw driver tips
- The first and last set you will ever need

**\$99**



5400-S4BDO

## Knipex End Cutting Nipper Twin Pack

Includes 6801200KNI and 6801280KNI.



**\$69**

6801VPBKNI

## Sykes 9 Piece Butane Soldering Iron Kit

- Three features in one kit: soldering iron, hot torch and hot blower
- Includes 8 accessories and attachments for all soldering applications



**\$89**

680005SYK

## Bordo 4 Piece Screwout Set

For the rapid removal of damaged screws and bolts.

**\$49**



9901-S1BDO

## Knipex Compact Bolt Cutter Fencing

With precision cutting edges for soft, hard and piano wire.  
• 200mm



**\$89**

7131200KNI

## Knipex Cobolt® XL Bolt Cutters

- For soft and hard wire including piano wire
- Recess in blade for cutting thicker wires
- 250mm



**\$89**

7131250KNI

## Estwing Adventure Kit

Estwing campers axe & Coast FL85 headlamp

**\$163**



EWE44A+COAFL85

## FLIR One Pro Thermal Camera

- Smart phone compatible
- Compact



**\$660** EA

435-0006-03FLI IOS  
435-0007-03FLI Android

## Tough-As Motion Australia Work Mat

2.0 x 1.0m work mat.

- Chemical, stain, tear and cut resistant
- Durable, premium grade PVC outer
- Closed cell, soft high density foam inner
- Waterproof
- 5year UV warranty

**\$198**



WM-L-RED-MOTION



STAY CONNECTED



**iMOTION**

Delivering a world-class customer-first approach providing excellence and expertise in industrial products, solutions and services.

**iMOTION**  
FLUID POWER SOLUTIONS

Specialists in Fluid Power Solutions tailored to keep your equipment moving.

**iMOTION**  
ENGINEERING & SERVICES

Specialist design and engineering, manufacturing, repair and maintenance services.

Anytime. Anywhere.  
**Always Here.™**



**Find a location near you!**

Scan the QR Code to find out more or visit [Motion.com.au](https://www.motion.com.au)